

Four Easy Pieces – Explicit R Matrices from the $(\dot{0}_m|\alpha)$ Highest Weight Representations of $U_q[gl(m|1)]$

David De Wit*

February 1, 2008

Abstract

We provide explicit presentations of members of a suite of R matrices arising from the $(\dot{0}_m|\alpha)$ representations of the quantum superalgebras $U_q[gl(m|1)]$. Our algorithm constructs both trigonometric and quantum R matrices; all of which are *graded*, in that they solve a graded Yang–Baxter equation. This grading is easily removed, yielding R matrices that solve the usual Yang–Baxter equation. For $m > 2$, the computations are impracticable for a human to perform, so we have implemented the entire process in MATHEMATICA, and then performed the computations for $m = 1, 2, 3$ and 4.

1 Overview

This paper describes the results of the automation of an algorithm to explicitly generate several R matrices. Specifically, we construct trigonometric R matrices $\tilde{R}^m(u)$ corresponding to the α -parametric highest weight minimal representations labeled $(\dot{0}_m|\alpha)$, of the quantum superalgebras $U_q[gl(m|1)]$. These representations are 2^m dimensional, irreducible, and contain free complex parameters q and α ; the real variable u is a spectral parameter. Quantum R matrices \tilde{R}^m are immediately obtainable as the spectral limits $u \rightarrow \infty$ of the $\tilde{R}^m(u)$.

Our R matrices are in fact *graded*, as they are based on graded vector spaces, hence they actually satisfy graded Yang–Baxter equations. However, it is a simple matter to remove this grading and transform them into objects that satisfy the usual Yang–Baxter equations.

These R matrices are of physical interest in that they are applicable to the construction of exactly solvable models of interacting fermions. Corresponding to $\tilde{R}^m(u)$, we may construct an integrable 2^m state fermionic model on a lattice. Models associated with $m = 2$ and $m = 3$ have been discussed in [9] and [8], respectively. The $m = 4$ case has an elegant interpretation in terms of a 2-leg ladder model for interacting electrons: a discussion of this is provided in §5.

*RIMS, Kyoto University, 606-8502 Japan. ddw@kurims.kyoto-u.ac.jp

Furthermore, from each of our \check{R}^m , we may obtain a two variable polynomial ‘Links–Gould’ link invariant LG^m [12]. LG^1 degenerates to being the Alexander–Conway polynomial in the single variable $q^{2\alpha}$ (c.f. [1]). LG^2 is in fact more powerful than the well known two variable HOMFLY and Kauffman invariants, although it cannot distinguish mutants or inversion [4, 6]. LG^m for $m > 2$ have similar gross properties to LG^2 , although they should be able to distinguish more links [5].

The process has been implemented in MATHEMATICA, and R matrices computed for $m = 1, 2, 3$ and 4. The description of the computational details of the algorithms used to construct the R matrices is rather long, and will be provided elsewhere [3], as will observations relating to the construction of the new invariants [5].

2 Algebraic Details

Fixing m , we are initially interested in a 2^m dimensional vector space V that is a module for the $U_q[gl(m|1)]$ representation $\Lambda = (\check{0}_m|\alpha)$. The algebra contains a free complex variable q , whilst the representation π_Λ acting on V contains a free complex variable α . Our V is actually (\mathbb{Z}_2) *graded*; this ensures compatibility with the (\mathbb{Z}_2) grading of $U_q[gl(m|1)]$. A full description of $U_q[gl(m|n)]$ in terms of generators and relations is contained in [13, pp1237-1238]; for our purposes a set of *simple* generators for $U_q[gl(m|1)]$ is:

$$\left\{ \begin{array}{ll} K_a, & a = 1, \dots, m+1 \quad (\text{Cartan}), \\ E^a_{a+1}, & a = 1, \dots, m \quad (\text{raising}), \\ E^{a+1}_a, & a = 1, \dots, m \quad (\text{lowering}) \end{array} \right\}.$$

We apply the Kac induced module construction (KIMC) [11] to establish a *weight* basis $\{v_i\}_{i=1}^{2^m}$ for V . This involves postulating v_1 as a highest weight vector, and recursively acting on v_1 with all possible distinct products of simple lowering generators E^{a+1}_a to define the other basis vectors, normalising as we go. This construction requires a PBW basis for $U_q[gl(m|1)]$, which enables us to transform any element of the algebra into a normal form ([13], see also [3]).

The tensor product module $V \otimes V$ has a natural (weight) basis $\{v_i \otimes v_j\}_{i,j=1}^{2^m}$, which inherits the grading of V . To build R matrices acting on $V \otimes V$, we require an alternative, orthonormal weight basis B for $V \otimes V$ corresponding to its decomposition into irreducible $U_q[gl(m|1)]$ submodules. Again using the KIMC, the basis vectors of B are derived as linear combinations of the form $\gamma_{ij}(v_i \otimes v_j)$, where the coefficients γ_{ij} are algebraic expressions in q and α . (This process initially yields a basis for each submodule that is not necessarily orthonormal, so we also apply a Gram–Schmidt process.)

For our particular representation, the orthogonal decomposition of $V \otimes V$ contains no multiplicities [7, (34)]:

$$V \otimes V \cong \bigoplus_{k=1}^{m+1} V_k,$$

where V_k has highest weight $\lambda_k = (\dot{0}_{m+1-k}, \dot{-1}_{k-1} \mid 2\alpha + k - 1)$.

The R matrices are then formed as weighted sums of projectors onto these submodules V_k . Explicitly, where \check{P}_k is the projector onto submodule V_k , we have:

$$\check{R}^m(u) = \sum_{k=1}^{m+1} \Xi_k \check{P}_k, \quad \check{R}^m = \sum_{k=1}^{m+1} \xi_k \check{P}_k,$$

where Ξ_k and ξ_k are the following eigenvalues of the R matrices on the submodules V_k ([10], and c.f. [8]):

$$\begin{aligned} \Xi_k &= \prod_{j=0}^{k-2} \frac{[\alpha + j + u]_q}{[\alpha + j - u]_q}, \\ \xi_k &= \lim_{u \rightarrow \infty} \Xi_k = (-1)^{k-1} q^{(k-1)(2\alpha+k-2)}, \end{aligned}$$

where we intend $\Xi_1 = \xi_1 = 1$, and we have used the q bracket:

$$[X]_q \triangleq \frac{q^{+X} - q^{-X}}{q^{+1} - q^{-1}}; \quad \text{observe that} \quad \lim_{q \rightarrow 1} [X]_q = X.$$

Thus we have the intended spectral limit $\check{R}^m = \lim_{u \rightarrow \infty} \check{R}^m(u)$. The resulting R matrices are normalised such that the coefficients of the ‘first’ components (viz e_{11}^{11}) are unity. For applications, other choices of normalisation may be applicable [5].

To be certain, $\check{R}^m(u)$ satisfies the following graded version of the trigonometric Yang–Baxter equation:

$$\begin{aligned} &(-1)^{[b']([c']+[a']+[c]+[a][b]+[b']+[b''])} \check{R}(u)_{b'c'}^{c''b''} \check{R}(u+v)_{a'c}^{c'a''} \check{R}(v)_{ab}^{b'a'} \\ &= (-1)^{[a']([b']+[a][c']+[b][c]+[b][b'])} \check{R}(v)_{a'b'}^{b''a''} \check{R}(u+v)_{ac'}^{c''a'} \check{R}(u)_{bc}^{c'b'}, \end{aligned} \quad (1)$$

where $[a]$ is the grading of the vector v_a . The parity factors in (1) may be removed by the following transformation (e.g. see [2]):

$$\check{R}_{ab}^{a'b'}(u) \mapsto (-1)^{[a]([b]+[b'])} \check{R}_{ab}^{a'b'}(u),$$

after which $\check{R}(u)$ which satisfied (1) now satisfies the usual ungraded TYBE:

$$\check{R}(u)_{b'c'}^{c''b''} \check{R}(u+v)_{a'c}^{c'a''} \check{R}(v)_{ab}^{b'a'} = \check{R}(v)_{a'b'}^{b''a''} \check{R}(u+v)_{ac'}^{c''a'} \check{R}(u)_{bc}^{c'b'}, \quad (2)$$

written in noncomponent form as:

$$\check{R}_{12}(u) \check{R}_{23}(u+v) \check{R}_{12}(v) = \check{R}_{23}(v) \check{R}_{12}(u+v) \check{R}_{23}(u). \quad (3)$$

In the spectral limit $\check{R} = \lim_{u \rightarrow \infty} \check{R}(u)$, this of course becomes a QYBE:

$$\check{R}_{12}\check{R}_{23}\check{R}_{12} = \check{R}_{23}\check{R}_{12}\check{R}_{23}, \quad (4)$$

viz $(\check{R} \otimes I)(I \otimes \check{R})(\check{R} \otimes I) = (I \otimes \check{R})(\check{R} \otimes I)(I \otimes \check{R})$, familiar as the braid relation $\sigma_1\sigma_2\sigma_1 = \sigma_2\sigma_1\sigma_2$.

Defining $R(u) \triangleq P\check{R}(u)$, where P is a permutation operator, yields a trigonometric R matrix $R(u)$ satisfying the following version of (3):

$$R_{12}(u)R_{13}(u+v)R_{23}(v) = R_{23}(v)R_{13}(u+v)R_{12}(u). \quad (5)$$

This transformation amounts to the mapping: $R(u)_{ab}^{a'b'} = \check{R}(u)_{ab}^{b'a'}$. In component form, (5) is more symmetric than (2):

$$R(u)_{b'c'}^{b''c''} R(u+v)_{a''c'}^{a''c'} R(v)_{ab}^{a'b'} = R(v)_{a''b'}^{a''b''} R(u+v)_{ac'}^{a'c''} R(u)_{bc}^{b'c'}.$$

3 Implementation

The entire process has been implemented as a suite of functions in the interpreted environment of MATHEMATICA. Whilst there is no theoretical limit to m , storage and patience mean that a current reasonable practical limit for m is 4. The computations are computationally inefficient! Translation of the several thousand lines of MATHEMATICA code into a compiled language would increase the speed of the algorithm enormously, but storage requirements would still limit m .

4 Results

Both $\check{R}^m(u)$ and \check{R}^m have been obtained for $m = 1, 2, 3, 4$. Of these, the $m = 1$ case (c.f. [1]), can be done by hand in a couple of hours; the complete $m = 2$ case appears in my PhD thesis [2], and took several weeks to do by hand; partial details of the $m = 3$ case appear in [8]; whilst the $m = 4$ case is new. By direct substitution, we have been able to verify that each $\check{R}^m(u)$ satisfies (3)¹ and that each \check{R}^m satisfies (4).

Fixing m , each R matrix contains 2^{4m} (albeit mostly zero) components. Let N'_m and N_m be the number of nonzero components of $\check{R}^m(u)$ and \check{R}^m respectively. As \check{R}^m is the spectral limit of $\check{R}^m(u)$, we expect $N_m \leq N'_m$. The numbers of nonzero components of each of the $m+1$ projectors are similar to N_m and N'_m ; and $N'_m = 6^m$ (why?). Let $s_m \triangleq N_m/2^{4m}$ be the sparsity of \check{R}^m . Table 1 summarises our results.

Listings of the nonzero components of our R matrices are supplied in the Appendix.

¹We didn't check $\check{R}^4(u)$, as the computations would have been excessively expensive.

m	2^{4m}	projector sizes	N'_m	N_m	$s_m(\%)$
1	16	5, 5	6	5	31.3
2	256	25, 34, 25	36	26	10.2
3	4096	125, 199, 199, 125	216	139	3.4
4	65536	625, 1124, 1254, 1124, 625	1296	758	1.1

Table 1: Numbers of nonzero components of our R matrices.

5 An Application

Of particular new interest is the interpretation of our $U_q[gl(4|1)]$ trigonometric R matrix $\check{R}^4(u)$ in the construction of an exactly solvable 2-leg ladder model of interacting electrons. To this end, consider a 2-leg ladder, with electron occupation sites at the end of each rung. Each site may contain a maximum of 2 electrons, each in state spin up \uparrow or down \downarrow . Thus, at each site we have 4 possible states: unoccupied $|0\rangle$, both up $|\uparrow\uparrow\rangle$, both down $|\downarrow\downarrow\rangle$, or mixed $|\uparrow\downarrow\rangle$. Taken together, each rung space, corresponding to our V , is 16 dimensional. These 16 dimensions correspond to 1 electron-free state, 4 single-electron states, 6 two-electron states, 4 three-electron states and 1 four-electron state.

A Hamiltonian determined by $\check{R}^4(u)$ describes the interactions between rungs. Discernment of the details of the terms contained within this Hamiltonian are left as an exercise for the reader with some idle time; the procedure essentially follows [1, 8, 9].

Acknowledgements

My research at Kyoto University is funded by a Postdoctoral Fellowship for Foreign Researchers (# P99703), provided by the Japan Society for the Promotion of Science. Dōmo arigatō gozaimashita!

Some of this work was completed under the direction of Dr Mark Gould as part of ongoing research at The University of Queensland, Australia. I also wish to thank Dr Jon Links of the same institute for discussions and continuing helpful advice.

Appendix

Below, we list the nonzero components of our graded R matrices. The data are presented in terms of elementary rank 4 tensors e_{jl}^{ik} , obtained by inserting a copy of e_l^k at each location of e_j^i ; where the e_j^i are elementary $2^m \times 2^m$ matrices. We also use the following notation:

- To increase literacy, we replace $[X]_q$ with $[X]$, we often substitute \bar{q} for q^{-1} , and we set $\Delta \triangleq q - \bar{q}$.
- To convert these *graded* R matrices to the equivalent ungraded objects, simply multiply all terms in **boldface** by -1 .
- The following notation is a convenient shorthand for the frequently appearing q *graded symmetric combination* of rank 4 tensors:

$$q_{\pm}^x e_{jl}^{ik} \triangleq q^x e_{jl}^{ik} \pm \bar{q}^x e_{lj}^{ki}.$$

Not using it allows us to present both graded and grading-stripped R matrices in one unit.

R matrices for $\mathbf{m} = \mathbf{1}$

Here, $[1] = 0$ and $[2] = 1$, and $\check{R}^1(u)$ has 6 nonzero components:

$$1 \{e_{11}^{11}\}, \quad \frac{[\alpha + u]}{[\alpha - u]} \{e_{22}^{22}\}, \quad \frac{[\alpha]}{[\alpha - u]} \left\{ \bar{q}^u \{e_{12}^{12}\} \right\}, \quad \frac{[u]}{[\alpha - u]} \left\{ +1 \{e_{21}^{12}\} \right\}.$$

\check{R}^1 has 5 nonzero components:

$$1 \{e_{11}^{11}\}, \quad -q^{2\alpha} \{e_{22}^{22}\}, \quad -\Delta q^\alpha [\alpha] \{e_{21}^{21}\}, \quad q^\alpha \left\{ \begin{matrix} -1 \{e_{21}^{12}\} \\ +1 \{e_{12}^{21}\} \end{matrix} \right\}.$$

R matrices for $\mathbf{m} = 2$

Here, $[1] = [4] = 0$ and $[2] = [3] = 1$, and $\check{R}^2(u)$ has 36 nonzero components:

$$1 \{e_{11}^{11}\}, \quad \frac{[\alpha+u]}{[\alpha-u]} \{e_{22}^{22}, e_{33}^{33}\}, \quad \frac{[\alpha+u][\alpha+1+u]}{[\alpha-u][\alpha+1-u]} \{e_{44}^{44}\},$$

$$\frac{[\alpha]}{[\alpha-u]} \left\{ \bar{q}^u \begin{Bmatrix} e_{12}^{12}, e_{13}^{13} \\ e_{21}^{21}, e_{31}^{31} \end{Bmatrix} \right\}, \quad \frac{[\alpha+1][\alpha+u]}{[\alpha-u][\alpha+1-u]} \left\{ q^u \begin{Bmatrix} e_{43}^{43}, e_{42}^{42} \\ e_{34}^{34}, e_{24}^{24} \end{Bmatrix} \right\},$$

$$\frac{[\alpha][\alpha+1]}{[\alpha-u][\alpha+1-u]} \left\{ \bar{q}^{2u} \begin{Bmatrix} e_{14}^{14} \\ e_{41}^{41} \end{Bmatrix} \right\}, \quad \frac{1}{\Delta^2[\alpha-u][1+\alpha-u]} \left\{ \begin{Bmatrix} f(\bar{q}) \{e_{23}^{23}\} \\ f(q) \{e_{32}^{32}\} \end{Bmatrix} \right\},$$

$$\frac{[u]}{[\alpha-u]} \left\{ \begin{Bmatrix} +\mathbf{1} \{e_{21}^{12}, e_{31}^{13}\} \\ -1 \{e_{12}^{21}, e_{13}^{31}\} \end{Bmatrix} \right\}, \quad \frac{[u][\alpha+u]}{[\alpha-u][\alpha+1-u]} \left\{ \begin{Bmatrix} -\mathbf{1} \{e_{34}^{43}, e_{24}^{42}\} \\ +1 \{e_{43}^{34}, e_{42}^{24}\} \end{Bmatrix} \right\},$$

$$\frac{[u-1][u]}{[\alpha-u][\alpha+1-u]} \begin{Bmatrix} e_{41}^{14} \\ e_{14}^{41} \end{Bmatrix}, \quad -\frac{[u]^2}{[\alpha-u][\alpha+1-u]} \begin{Bmatrix} e_{32}^{23} \\ e_{23}^{32} \end{Bmatrix},$$

$$\frac{[\alpha]^{\frac{1}{2}}[\alpha+1]^{\frac{1}{2}}[u]}{[\alpha-u][\alpha+1-u]} \left\{ \begin{Bmatrix} q^u \begin{Bmatrix} q^{\frac{1}{2}} \begin{Bmatrix} -\mathbf{e}_{32}^{41} \\ +e_{41}^{32} \end{Bmatrix}, \bar{q}^{\frac{1}{2}} \begin{Bmatrix} +\mathbf{e}_{23}^{41} \\ -e_{41}^{23} \end{Bmatrix} \end{Bmatrix} \\ \bar{q}^u \begin{Bmatrix} \bar{q}^{\frac{1}{2}} \begin{Bmatrix} +\mathbf{e}_{23}^{14} \\ -e_{14}^{23} \end{Bmatrix}, q^{\frac{1}{2}} \begin{Bmatrix} -\mathbf{e}_{32}^{14} \\ +e_{14}^{32} \end{Bmatrix} \end{Bmatrix} \right\},$$

where $f(q) = -2q + q^{2u}(q - \bar{q}) + q^{2\alpha}(q + \bar{q})$.

\check{R}^2 has 26 nonzero components:

$$1 \{e_{11}^{11}\}, \quad -q^{2\alpha} \{e_{22}^{22}, e_{33}^{33}\}, \quad q^{4\alpha+2} \{e_{44}^{44}\},$$

$$-\Delta q^\alpha [\alpha] \{e_{21}^{21}, e_{31}^{31}\}, \quad \Delta q^{3\alpha+1} [\alpha+1] \{e_{43}^{43}, e_{42}^{42}\}, \quad \Delta^2 q^{2\alpha+1} [\alpha][\alpha+1] \{e_{41}^{41}\}, \quad \Delta q^{2\alpha+1} \{e_{32}^{32}\},$$

$$q^\alpha \begin{Bmatrix} -\mathbf{1} \{e_{21}^{12}, e_{31}^{13}\} \\ +1 \{e_{12}^{21}, e_{13}^{31}\} \end{Bmatrix}, \quad q^{3\alpha+1} \begin{Bmatrix} -\mathbf{1} \{e_{34}^{43}, e_{24}^{42}\} \\ +1 \{e_{43}^{34}, e_{42}^{24}\} \end{Bmatrix}, \quad q^{2\alpha} \begin{Bmatrix} e_{41}^{14} \\ e_{14}^{41} \end{Bmatrix}, \quad -q^{2\alpha+1} \begin{Bmatrix} e_{32}^{23} \\ e_{23}^{32} \end{Bmatrix},$$

$$\Delta q^{2\alpha+1} [\alpha]^{\frac{1}{2}} [\alpha+1]^{\frac{1}{2}} \left\{ q^{\frac{1}{2}} \begin{Bmatrix} -\mathbf{e}_{32}^{41} \\ +e_{41}^{32} \end{Bmatrix}, \bar{q}^{\frac{1}{2}} \begin{Bmatrix} +\mathbf{e}_{23}^{41} \\ -e_{41}^{23} \end{Bmatrix} \right\}.$$

R matrices for $m = 3$

Here, $[i] = 0$ for $i \in \{1, 5, 6, 7\}$ and $[i] = 1$ for $i \in \{2, 3, 4, 8\}$. The reader will have by now appreciated the recurring patterns in the components of our R matrices. To save space, we introduce a little more notation, which eliminates the q brackets altogether:

$$\begin{aligned} S_i^\pm &\triangleq [\alpha + i \pm u]_q, \\ A_i^z &\triangleq [\alpha + i]_q^z, \quad \text{where } z \in \{\tfrac{1}{2}, 1\}, \\ U_i^z &\triangleq [u - i]_q^z, \quad \text{where } z \in \{1, 2\}, \end{aligned}$$

and $i \in \{0, 1, \dots, m-1\}$. With this notation, $\check{R}^3(u)$ has 216 nonzero components:

$$\begin{aligned} &1 \{e_{11}^{11}\}, \quad \frac{S_0^+}{S_0^-} \{e_{22}^{22}, e_{33}^{33}, e_{44}^{44}\}, \quad \frac{S_0^+ S_1^+}{S_0^- S_1^-} \{e_{55}^{55}, e_{66}^{66}, e_{77}^{77}\}, \quad \frac{S_0^+ S_1^+ S_2^+}{S_0^- S_1^- S_2^-} \{e_{88}^{88}\}, \\ &\frac{A_0}{S_0^-} \left\{ \bar{q}^u \begin{Bmatrix} e_{12}^{12}, e_{13}^{13}, e_{14}^{14} \\ e_{21}^{21}, e_{31}^{31}, e_{41}^{41} \end{Bmatrix} \right\}, \quad \frac{A_2 S_0^+ S_1^+}{S_0^- S_1^- S_2^-} \left\{ q^u \begin{Bmatrix} e_{87}^{87}, e_{86}^{86}, e_{85}^{85} \\ e_{78}^{78}, e_{68}^{68}, e_{58}^{58} \end{Bmatrix} \right\}, \\ &\frac{1}{\Delta^2 S_0^- S_1^-} \left\{ f_1(q) \begin{Bmatrix} e_{23}^{23}, e_{24}^{24}, e_{34}^{34} \\ e_{32}^{32}, e_{42}^{42}, e_{43}^{43} \end{Bmatrix} \right\}, \quad \frac{1}{\Delta^2 S_0^- S_1^- S_2^-} \left\{ f_2(q) \begin{Bmatrix} e_{76}^{76}, e_{75}^{75}, e_{65}^{65} \\ e_{67}^{67}, e_{57}^{57}, e_{56}^{56} \end{Bmatrix} \right\}, \\ &\frac{A_0 A_1}{S_0^- S_1^-} \left\{ q^{2u} \begin{Bmatrix} e_{51}^{51}, e_{61}^{61}, e_{71}^{71} \\ e_{15}^{15}, e_{16}^{16}, e_{17}^{17} \end{Bmatrix} \right\}, \quad \frac{A_1 A_2 S_0^+}{S_0^- S_1^- S_2^-} \left\{ q^{2u} \begin{Bmatrix} e_{84}^{84}, e_{83}^{83}, e_{82}^{82} \\ e_{48}^{48}, e_{38}^{38}, e_{28}^{28} \end{Bmatrix} \right\}, \\ &\frac{A_1}{\Delta^2 S_0^- S_1^- S_2^-} \left\{ f_3(q) \begin{Bmatrix} e_{27}^{27}, e_{27}^{27} \\ e_{72}^{72}, e_{72}^{72} \end{Bmatrix}, f_4(q) \begin{Bmatrix} e_{36}^{36}, e_{36}^{36} \\ e_{63}^{63}, e_{63}^{63} \end{Bmatrix}, f_5(q) \begin{Bmatrix} e_{45}^{45}, e_{45}^{45} \\ e_{54}^{54}, e_{54}^{54} \end{Bmatrix} \right\}, \\ &\frac{A_1 S_0^+}{S_0^- S_1^-} \left\{ q^u \begin{Bmatrix} e_{52}^{52}, e_{53}^{53}, e_{62}^{62}, e_{64}^{64}, e_{73}^{73}, e_{74}^{74} \\ e_{25}^{25}, e_{35}^{35}, e_{26}^{26}, e_{46}^{46}, e_{37}^{37}, e_{47}^{47} \end{Bmatrix} \right\}, \quad \frac{A_0 A_1 A_2}{S_0^- S_1^- S_2^-} \left\{ q^{3u} \begin{Bmatrix} e_{81}^{81}, e_{81}^{81} \\ e_{18}^{18}, e_{18}^{18} \end{Bmatrix} \right\}, \\ &\frac{U_0}{S_0^-} \left\{ +1 \begin{Bmatrix} e_{21}^{12}, e_{31}^{13}, e_{41}^{14} \\ e_{12}^{21}, e_{13}^{31}, e_{14}^{41} \end{Bmatrix} \right\}, \quad \frac{U_0 S_0^+ S_1^+}{S_0^- S_1^- S_2^-} \left\{ +1 \begin{Bmatrix} e_{87}^{78}, e_{86}^{68}, e_{85}^{58} \\ e_{78}^{87}, e_{68}^{86}, e_{58}^{85} \end{Bmatrix} \right\}, \quad \frac{U_0 U_1 U_2}{S_0^- S_1^- S_2^-} \left\{ +1 \begin{Bmatrix} e_{81}^{18}, e_{81}^{18} \\ e_{18}^{81}, e_{18}^{81} \end{Bmatrix} \right\}, \\ &\frac{U_0 U_1}{S_0^- S_1^-} \left\{ e_{51}^{15}, e_{61}^{16}, e_{71}^{17} \right\}, \quad -\frac{U_0 U_1 S_0^+}{S_0^- S_1^- S_2^-} \left\{ e_{48}^{84}, e_{38}^{83}, e_{28}^{82} \right\}, \\ &-\frac{U_0^2}{S_0^- S_1^-} \left\{ e_{32}^{23}, e_{42}^{24}, e_{43}^{34} \right\}, \quad -\frac{U_0^2 S_0^+}{S_0^- S_1^- S_2^-} \left\{ e_{67}^{76}, e_{57}^{75}, e_{56}^{65} \right\}, \\ &\frac{U_0^2 U_1}{S_0^- S_1^- S_2^-} \left\{ +1 \begin{Bmatrix} e_{45}^{54}, e_{36}^{63}, e_{27}^{72} \\ e_{54}^{45}, e_{63}^{36}, e_{72}^{27} \end{Bmatrix} \right\}, \quad \frac{U_0 S_0^+}{S_0^- S_1^-} \left\{ -1 \begin{Bmatrix} e_{25}^{52}, e_{35}^{53}, e_{26}^{62}, e_{46}^{64}, e_{37}^{73}, e_{47}^{74} \\ e_{52}^{25}, e_{53}^{35}, e_{62}^{26}, e_{64}^{46}, e_{73}^{37}, e_{74}^{47} \end{Bmatrix} \right\}, \\ &\frac{A_0^{\frac{1}{2}} A_1^{\frac{1}{2}} U_0}{S_0^- S_1^-} \left\{ q^{u+\frac{1}{2}} \begin{Bmatrix} -1 \begin{Bmatrix} e_{32}^{51}, e_{42}^{61}, e_{43}^{71} \\ e_{51}^{32}, e_{61}^{42}, e_{71}^{43} \end{Bmatrix} \\ q^{u-\frac{1}{2}} \begin{Bmatrix} +1 \begin{Bmatrix} e_{23}^{51}, e_{24}^{61}, e_{34}^{71} \\ e_{23}^{51}, e_{24}^{61}, e_{34}^{71} \end{Bmatrix} \\ \bar{q}^{u+\frac{1}{2}} \begin{Bmatrix} +1 \begin{Bmatrix} e_{23}^{15}, e_{24}^{16}, e_{34}^{17} \\ e_{15}^{23}, e_{16}^{24}, e_{17}^{34} \end{Bmatrix} \\ \bar{q}^{u-\frac{1}{2}} \begin{Bmatrix} -1 \begin{Bmatrix} e_{32}^{15}, e_{42}^{16}, e_{43}^{17} \\ e_{32}^{15}, e_{42}^{16}, e_{43}^{17} \end{Bmatrix} \\ +1 \begin{Bmatrix} e_{15}^{32}, e_{16}^{42}, e_{17}^{43} \\ e_{15}^{32}, e_{16}^{42}, e_{17}^{43} \end{Bmatrix} \end{Bmatrix} \right\}, \quad \frac{A_1^{\frac{1}{2}} A_2^{\frac{1}{2}} U_0 S_0^+}{S_0^- S_1^- S_2^-} \left\{ q^{u+\frac{1}{2}} \begin{Bmatrix} +1 \begin{Bmatrix} e_{82}^{65}, e_{83}^{75}, e_{84}^{76} \\ e_{65}^{82}, e_{75}^{83}, e_{76}^{84} \end{Bmatrix} \\ q^{u-\frac{1}{2}} \begin{Bmatrix} -1 \begin{Bmatrix} e_{56}^{56}, e_{57}^{57}, e_{67}^{67} \\ e_{56}^{56}, e_{57}^{57}, e_{67}^{67} \end{Bmatrix} \\ \bar{q}^{u+\frac{1}{2}} \begin{Bmatrix} -1 \begin{Bmatrix} e_{28}^{56}, e_{38}^{57}, e_{48}^{67} \\ e_{28}^{56}, e_{38}^{57}, e_{48}^{67} \end{Bmatrix} \\ +1 \begin{Bmatrix} e_{56}^{28}, e_{57}^{38}, e_{67}^{48} \\ e_{56}^{28}, e_{57}^{38}, e_{67}^{48} \end{Bmatrix} \\ \bar{q}^{u-\frac{1}{2}} \begin{Bmatrix} +1 \begin{Bmatrix} e_{28}^{65}, e_{38}^{75}, e_{48}^{76} \\ e_{28}^{65}, e_{38}^{75}, e_{48}^{76} \end{Bmatrix} \\ -1 \begin{Bmatrix} e_{65}^{28}, e_{75}^{38}, e_{76}^{48} \\ e_{65}^{28}, e_{75}^{38}, e_{76}^{48} \end{Bmatrix} \end{Bmatrix} \right\}, \end{aligned}$$

$$\begin{aligned}
& \frac{U_0}{\Delta^2 S_0^- S_1^- S_2^-} \left\{ f_6(q) \left\{ +1 \left\{ e_{45}^{63}, -qe_{45}^{72}, e_{36}^{72} \right\} \right. \right. \\
& \quad \left. \left. -1 \left\{ e_{63}^{45}, -qe_{72}^{45}, e_{72}^{36} \right\} \right\}, f_6(\bar{q}) \left\{ +1 \left\{ e_{36}^{54}, -\bar{q}e_{27}^{54}, e_{27}^{63} \right\} \right. \right. \\
& \quad \left. \left. -1 \left\{ e_{54}^{36}, -\bar{q}e_{54}^{27}, e_{63}^{27} \right\} \right\} \right\}, \\
& \frac{A_1 U_0^2}{S_0^- S_1^- S_2^-} \left\{ \bar{q}^u \left\{ -q \left\{ e_{45}^{36}, e_{36}^{45} \right\}, \left\{ e_{45}^{27}, e_{27}^{45} \right\}, -\bar{q} \left\{ e_{27}^{36}, e_{36}^{27} \right\} \right\} \right. \\
& \quad \left. q^u \left\{ -\bar{q} \left\{ e_{54}^{63}, e_{63}^{54} \right\}, \left\{ e_{54}^{72}, e_{72}^{54} \right\}, -q \left\{ e_{72}^{63}, e_{63}^{72} \right\} \right\} \right\}, \\
& \frac{A_0^{\frac{1}{2}} A_2^{\frac{1}{2}} U_0 U_1}{S_0^- S_1^- S_2^-} \left\{ \bar{q}^u \left\{ q \left\{ e_{72}^{18}, e_{18}^{72} \right\}, - \left\{ e_{63}^{18}, e_{18}^{63} \right\}, \bar{q} \left\{ e_{54}^{18}, e_{18}^{54} \right\} \right\} \right. \\
& \quad \left. q^u \left\{ \bar{q} \left\{ e_{81}^{27}, e_{27}^{81} \right\}, - \left\{ e_{36}^{81}, e_{81}^{36} \right\}, q \left\{ e_{45}^{81}, e_{81}^{45} \right\} \right\} \right\}, \\
& \frac{A_0^{\frac{1}{2}} A_1 A_2^{\frac{1}{2}} U_0}{S_0^- S_1^- S_2^-} \left\{ \bar{q}^{2u} \left\{ \bar{q} \left\{ +e_{27}^{18}, -e_{18}^{27} \right\}, - \left\{ +e_{36}^{18}, -e_{18}^{36} \right\}, q \left\{ +e_{45}^{18}, -e_{18}^{45} \right\} \right\} \right. \\
& \quad \left. q^{2u} \left\{ q \left\{ +e_{72}^{81}, -e_{81}^{72} \right\}, - \left\{ +e_{63}^{81}, -e_{81}^{63} \right\}, \bar{q} \left\{ +e_{54}^{81}, -e_{81}^{54} \right\} \right\} \right\},
\end{aligned}$$

where:

$$\begin{aligned}
f_1(q) &= -2\bar{q} + (q^{1+2\alpha} + \bar{q}^{1+2\alpha}) - \bar{q}^{2u}(q - \bar{q}) \\
f_2(q) &= -2q + (\bar{q}^{3+2\alpha} + q^{3+2\alpha}) + q^{2u}(q - \bar{q}) \\
f_3(q) &= -\bar{q}^u(2\bar{q}^2 - (q^{2+2\alpha} + \bar{q}^{2+2\alpha}) + \bar{q}^{2u}(q^2 - \bar{q}^2)) \\
f_4(q) &= \bar{q}^u(-2 + (q^{2+2\alpha} + \bar{q}^{2+2\alpha}) - (q^{2-2u} + \bar{q}^{2-2u}) + (q^{2u} + \bar{q}^{2u})) \\
f_5(q) &= \bar{q}^u(-2q^2 + (q^{2+2\alpha} + \bar{q}^{2+2\alpha}) + q^{2u}(q^2 - \bar{q}^2)) \\
f_6(q) &= q(q + \bar{q}) - (q^{2+2\alpha} + \bar{q}^{2+2\alpha}) - q^{2u-1}(q - \bar{q}).
\end{aligned}$$

\tilde{R}^3 has 139 nonzero components:

$$\begin{aligned}
& 1 \{ e_{11}^{11} \}, \quad -q^{2\alpha} \{ e_{22}^{22}, e_{33}^{33}, e_{44}^{44} \}, \quad q^{4\alpha+2} \{ e_{55}^{55}, e_{66}^{66}, e_{77}^{77} \}, \quad -q^{6\alpha+6} \{ e_{88}^{88} \}, \\
& -\Delta q^\alpha A_0 \{ e_{21}^{21}, e_{31}^{31}, e_{41}^{41} \}, \quad -\Delta q^{5\alpha+4} A_2 \{ e_{87}^{87}, e_{86}^{86}, e_{85}^{85} \}, \\
& \Delta q^{2\alpha+1} \{ e_{32}^{32}, e_{42}^{42}, e_{43}^{43} \}, \quad -\Delta q^{4\alpha+3} \{ e_{76}^{76}, e_{75}^{75}, e_{65}^{65} \}, \\
& \Delta^2 q^{2\alpha+1} A_0 A_1 \{ e_{51}^{51}, e_{61}^{61}, e_{71}^{71} \}, \quad -\Delta^2 q^{4\alpha+3} A_1 A_2 \{ e_{84}^{84}, e_{83}^{83}, e_{82}^{82} \}, \\
& -\Delta^2 q^{3\alpha+2} A_1 \{ e_{63}^{63} \}, \quad -\Delta q^{3\alpha+3} A_1 (q^2 - \bar{q}^2) \{ e_{72}^{72} \}, \\
& \Delta q^{3\alpha+1} A_1 \{ e_{52}^{52}, e_{53}^{53}, e_{62}^{62}, e_{64}^{64}, e_{73}^{73}, e_{74}^{74} \}, \quad -\Delta^3 q^{3\alpha+3} A_0 A_1 A_2 \{ e_{81}^{81} \}, \\
& q^\alpha \left\{ -1 \left\{ e_{21}^{12}, e_{31}^{13}, e_{41}^{14} \right\} \right. \\
& \quad \left. +1 \left\{ e_{12}^{21}, e_{13}^{31}, e_{14}^{41} \right\} \right\}, \quad q^{5\alpha+4} \left\{ -1 \left\{ e_{87}^{78}, e_{86}^{86}, e_{85}^{85} \right\} \right. \\
& \quad \left. +1 \left\{ e_{78}^{87}, e_{68}^{86}, e_{58}^{85} \right\} \right\}, \\
& q^{2\alpha} \left\{ e_{51}^{15}, e_{61}^{16}, e_{71}^{17} \right\}, \quad -q^{4\alpha+2} \left\{ e_{48}^{84}, e_{38}^{83}, e_{28}^{82} \right\}, \\
& \quad \left\{ e_{15}^{51}, e_{16}^{61}, e_{17}^{71} \right\}, \quad -q^{4\alpha+2} \left\{ e_{48}^{84}, e_{38}^{83}, e_{28}^{82} \right\}, \\
& -q^{2\alpha+1} \left\{ e_{32}^{23}, e_{42}^{24}, e_{43}^{34} \right\}, \quad q^{4\alpha+3} \left\{ e_{67}^{76}, e_{57}^{75}, e_{56}^{65} \right\}, \\
& \quad \left\{ e_{32}^{23}, e_{42}^{24}, e_{43}^{34} \right\}, \quad q^{4\alpha+3} \left\{ e_{67}^{76}, e_{57}^{75}, e_{56}^{65} \right\}, \\
& q^{3\alpha+1} \left\{ -1 \left\{ e_{25}^{52}, e_{26}^{53}, e_{35}^{53}, e_{37}^{54}, e_{46}^{54}, e_{47}^{54} \right\} \right. \\
& \quad \left. +1 \left\{ e_{25}^{25}, e_{26}^{26}, e_{35}^{35}, e_{37}^{37}, e_{46}^{46}, e_{47}^{47} \right\} \right\}, \quad q^{3\alpha+2} \left\{ -1 \left\{ e_{27}^{72}, e_{36}^{63}, e_{45}^{54} \right\} \right. \\
& \quad \left. +1 \left\{ e_{27}^{27}, e_{36}^{36}, e_{45}^{45} \right\} \right\}, \quad q^{3\alpha} \left\{ -1 \left\{ e_{81}^{18} \right\} \right. \\
& \quad \left. +1 \left\{ e_{18}^{81} \right\} \right\}, \\
& \Delta q^{2\alpha+1} A_0 A_1 \left\{ \bar{q}^{\frac{1}{2}} \left\{ +1 \left\{ e_{23}^{51}, e_{24}^{61}, e_{34}^{71} \right\} \right. \right. \\
& \quad \left. \left. -1 \left\{ e_{51}^{23}, e_{61}^{24}, e_{71}^{34} \right\} \right\} \right\}, q^{\frac{1}{2}} \left\{ -1 \left\{ e_{32}^{51}, e_{42}^{61}, e_{43}^{71} \right\} \right. \\
& \quad \left. +1 \left\{ e_{51}^{32}, e_{61}^{42}, e_{71}^{43} \right\} \right\} \right\},
\end{aligned}$$

$$\begin{aligned}
& \Delta q^{4\alpha+3} A_1 A_2 \left\{ \frac{1}{q^{\frac{1}{2}}} \left\{ +1 \left\{ e_{82}^{56}, e_{83}^{57}, e_{84}^{67} \right\} \right\}, q^{\frac{1}{2}} \left\{ -1 \left\{ e_{82}^{65}, e_{83}^{75}, e_{84}^{76} \right\} \right\} \right\}, \\
& \Delta q^{3\alpha+\frac{5}{2}} \left\{ \frac{1}{q^{\frac{1}{2}}} \left\{ +1 \left\{ e_{45}^{63}, e_{36}^{72} \right\} \right\}, q^{\frac{1}{2}} \left\{ -1 \left\{ e_{45}^{72} \right\} \right\} \right\}, \\
& \Delta q^{3\alpha+3} A_1 \left\{ \bar{q} \left\{ e_{54}^{63} \right\}, - \left\{ e_{54}^{72} \right\}, q \left\{ e_{63}^{72} \right\} \right\}, \\
& \Delta q^{3\alpha+2} A_0 A_2 \left\{ -\bar{q} \left\{ e_{27}^{81} \right\}, \left\{ e_{36}^{81} \right\} - q \left\{ e_{81}^{45} \right\} \right\}, \\
& \Delta^2 q^{3\alpha+3} A_0 A_1 A_2 \left\{ \bar{q} \left\{ -e_{81}^{54} \right\}, - \left\{ -e_{81}^{63} \right\}, q \left\{ -e_{81}^{72} \right\} \right\}.
\end{aligned}$$

R matrices for m = 4

Here, $[i]$ is 0 for $i \in \{1; 6, 7, 8, 9, 10, 11; 16\}$, and 1 for $i \in \{2, 3, 4, 5; 12, 13, 14, 15\}$, $\bar{R}^4(u)$ has 1296 nonzero components:

$$\begin{aligned}
& {}_1 \left\{ e_{1,1}^{1,1} \right\}, \quad \frac{S_0^+ S_1^+}{S_0^- S_1^-} \left\{ e_{6,6}^{6,6}, e_{7,7}^{7,7}, e_{8,8}^{8,8}, e_{9,9}^{9,9}, e_{10,10}^{10,10}, e_{11,11}^{11,11} \right\}, \quad \frac{S_0^+ S_1^+ S_2^+ S_3^+}{S_0^- S_1^- S_2^- S_3^-} \left\{ e_{16,16}^{16,16} \right\}, \\
& \frac{S_0^+}{S_0^-} \left\{ e_{2,2}^{2,2}, e_{3,3}^{3,3}, e_{4,4}^{4,4}, e_{5,5}^{5,5} \right\}, \quad \frac{S_0^+ S_1^+ S_2^+}{S_0^- S_1^- S_2^-} \left\{ e_{12,12}^{12,12}, e_{13,13}^{13,13}, e_{14,14}^{14,14}, e_{15,15}^{15,15} \right\}, \\
& \frac{A_0}{S_0^-} \left\{ \bar{q}^u \left\{ e_{1,2}^{1,2}, e_{1,3}^{1,3}, e_{1,4}^{1,4}, e_{1,5}^{1,5} \right\} \right\}, \quad \frac{A_3 S_0^+ S_1^+ S_2^+}{S_0^- S_1^- S_2^- S_3^-} \left\{ q^u \left\{ e_{16,15}^{16,15}, e_{16,14}^{16,14}, e_{16,13}^{16,13}, e_{16,12}^{16,12} \right\} \right\}, \\
& \frac{A_0 A_1}{S_0^- S_1^-} \left\{ \bar{q}^{2u} \left\{ e_{1,6}^{1,6}, e_{1,7}^{1,7}, e_{1,8}^{1,8}, e_{1,9}^{1,9}, e_{1,10}^{1,10}, e_{1,11}^{1,11} \right\} \right\}, \quad \frac{A_0 A_1 A_2}{S_0^- S_1^- S_2^-} \left\{ \bar{q}^{3u} \left\{ e_{1,12}^{1,12}, e_{1,13}^{1,13}, e_{1,14}^{1,14}, e_{1,15}^{1,15} \right\} \right\}, \\
& \frac{A_2 A_3 S_0^+ S_1^+}{S_0^- S_1^- S_2^- S_3^-} \left\{ q^{2u} \left\{ e_{16,11}^{16,11}, e_{16,10}^{16,10}, e_{16,9}^{16,9}, e_{16,8}^{16,8}, e_{16,7}^{16,7}, e_{16,6}^{16,6} \right\} \right\}, \\
& \frac{A_1 A_2 A_3 S_0^+}{S_0^- S_1^- S_2^- S_3^-} \left\{ \bar{q}^{3u} \left\{ e_{16,5}^{16,5}, e_{16,4}^{16,4}, e_{16,3}^{16,3}, e_{16,2}^{16,2} \right\} \right\}, \quad \frac{A_0 A_1 A_2 A_3}{S_0^- S_1^- S_2^- S_3^-} \left\{ \bar{q}^{4u} e_{1,16}^{1,16} \right\}, \\
& \frac{A_1 S_0^+}{S_0^- S_1^-} \left\{ \bar{q}^u \left\{ e_{2,6}^{2,6}, e_{2,7}^{2,7}, e_{2,8}^{2,8}, e_{2,9}^{2,9}, e_{2,10}^{2,10}, e_{2,11}^{2,11}, e_{2,12}^{2,12}, e_{2,13}^{2,13}, e_{2,14}^{2,14}, e_{2,15}^{2,15} \right\} \right\}, \\
& \frac{A_2 S_0^+ S_1^+}{S_0^- S_1^- S_2^-} \left\{ q^u \left\{ e_{15,11}^{15,11}, e_{15,10}^{15,10}, e_{15,9}^{15,9}, e_{15,8}^{15,8}, e_{15,7}^{15,7}, e_{15,6}^{15,6}, e_{15,5}^{15,5}, e_{15,4}^{15,4}, e_{15,3}^{15,3}, e_{15,2}^{15,2} \right\} \right\}, \\
& \frac{A_1 A_2 S_0^+}{S_0^- S_1^- S_2^-} \left\{ \bar{q}^{2u} \left\{ e_{12,2}^{12,2}, e_{13,2}^{13,2}, e_{14,2}^{14,2}, e_{12,3}^{12,3}, e_{13,3}^{13,3}, e_{14,3}^{14,3}, e_{12,4}^{12,4}, e_{13,4}^{13,4}, e_{14,4}^{14,4}, e_{12,5}^{12,5}, e_{13,5}^{13,5}, e_{14,5}^{14,5}, e_{15,5}^{15,5} \right\} \right\}, \\
& \frac{1}{\Delta^2 S_0^- S_1^-} \left\{ g_1(q) \left\{ e_{3,2}^{3,2}, e_{4,2}^{4,2}, e_{5,2}^{5,2}, e_{4,3}^{4,3}, e_{5,3}^{5,3}, e_{5,4}^{5,4} \right\} \right\}, \quad \frac{A_1}{\Delta^2 S_0^- S_1^- S_2^-} \left\{ g_2(q) \left\{ e_{3,7}^{3,7}, e_{3,8}^{3,8}, e_{4,8}^{4,8}, e_{4,10}^{4,10} \right\} \right\}, \\
& \frac{A_1}{\Delta^2 S_0^- S_1^- S_2^-} \left\{ \bar{q}^u g_3(q) \left\{ e_{9,2}^{9,2}, e_{10,2}^{10,2}, e_{11,2}^{11,2}, e_{11,3}^{11,3} \right\}, q^u g_3(q) \left\{ e_{4,6}^{4,6}, e_{5,6}^{5,6}, e_{5,7}^{5,7}, e_{5,9}^{5,9} \right\} \right\}, \\
& \frac{S_0^+}{\Delta^2 S_0^- S_1^- S_2^-} \left\{ g_4(q) \left\{ e_{7,6}^{7,6}, e_{8,6}^{8,6}, e_{9,6}^{9,6}, e_{10,6}^{10,6}, e_{8,7}^{8,7}, e_{9,7}^{9,7}, e_{11,7}^{11,7}, e_{10,8}^{10,8}, e_{11,8}^{11,8}, e_{10,9}^{10,9}, e_{11,9}^{11,9}, e_{11,10}^{11,10} \right\} \right\}, \\
& \frac{A_2 S_0^+}{\Delta^2 S_0^- S_1^- S_2^- S_3^-} \left\{ \bar{q}^u g_5(q) \left\{ e_{15,8}^{15,8}, e_{15,7}^{15,7}, e_{15,6}^{15,6}, e_{14,6}^{14,6} \right\}, q^u g_5(q) \left\{ e_{8,12}^{8,12}, e_{10,12}^{10,12}, e_{11,12}^{11,12}, e_{11,13}^{11,13} \right\} \right\}, \\
& \frac{A_2 S_0^+}{\Delta^2 S_0^- S_1^- S_2^- S_3^-} \left\{ q^{2u} g_6(q) \left\{ e_{15,2}^{15,2}, e_{15,15}^{15,15}, e_{15,12}^{15,12}, e_{15,13}^{15,13}, e_{15,14}^{15,14}, e_{15,15}^{15,15} \right\} \right\}, \\
& \frac{S_0^+ S_1^+}{\Delta^2 S_0^- S_1^- S_2^- S_3^-} \left\{ g_9(q) \left\{ e_{15,14}^{15,14}, e_{15,13}^{15,13}, e_{15,12}^{15,12}, e_{14,13}^{14,13}, e_{14,12}^{14,12}, e_{13,12}^{13,12} \right\} \right\}, \\
& \frac{S_0^+ S_1^+}{\Delta^2 S_0^- S_1^- S_2^- S_3^-} \left\{ g_9(\bar{q}) \left\{ e_{14,15}^{14,15}, e_{13,15}^{13,15}, e_{13,14}^{13,14}, e_{12,15}^{12,15}, e_{12,14}^{12,14}, e_{12,13}^{12,13} \right\} \right\},
\end{aligned}$$

$$\begin{aligned}
\frac{U_0}{S_0^-} \left\{ +1 \left\{ \begin{smallmatrix} 1,2 & 1,3 & 1,4 & 1,5 \\ \epsilon_{2,1}^1, \epsilon_{3,1}^1, \epsilon_{4,1}^1, \epsilon_{5,1}^1 \end{smallmatrix} \right\}, \right. & \quad \frac{U_0 S_0^+ S_1^+ S_2^+}{S_0^- S_1^- S_2^- S_3^-} \left\{ -1 \left\{ \begin{smallmatrix} 16,15 & 16,14 & 16,13 & 16,12 \\ \epsilon_{15,16}^{16}, \epsilon_{14,16}^{16}, \epsilon_{13,16}^{16}, \epsilon_{12,16}^{16} \end{smallmatrix} \right\}, \right. \\
\left. \left\{ -1 \left\{ \begin{smallmatrix} 2,1 & 2,3 & 2,4 & 2,5 \\ \epsilon_{1,2}^2, \epsilon_{1,3}^2, \epsilon_{1,4}^2, \epsilon_{1,5}^2 \end{smallmatrix} \right\}, \right. & \quad \left. \left\{ +1 \left\{ \begin{smallmatrix} 15,16 & 14,16 & 13,16 & 12,16 \\ \epsilon_{16,15}^{15}, \epsilon_{16,14}^{15}, \epsilon_{16,13}^{15}, \epsilon_{16,12}^{15} \end{smallmatrix} \right\}, \right. \\
\frac{U_0 U_1}{S_0^- S_1^-} \left\{ \begin{smallmatrix} 1,6 & 1,7 & 1,8 & 1,9 & 1,10 & 1,11 \\ \epsilon_{6,1}^1, \epsilon_{7,1}^1, \epsilon_{8,1}^1, \epsilon_{9,1}^1, \epsilon_{10,1}^1, \epsilon_{11,1}^1 \end{smallmatrix} \right\}, & \quad \frac{U_0 U_1 S_0^+ S_1^+}{S_0^- S_1^- S_2^- S_3^-} \left\{ \begin{smallmatrix} 16,11 & 16,10 & 16,9 & 16,8 & 16,7 & 16,6 \\ \epsilon_{11,16}^{16}, \epsilon_{10,16}^{16}, \epsilon_{9,16}^{16}, \epsilon_{8,16}^{16}, \epsilon_{7,16}^{16}, \epsilon_{6,16}^{16} \end{smallmatrix} \right\}, \\
\left. \left\{ \begin{smallmatrix} 6,1 & 7,1 & 8,1 & 9,1 & 10,1 & 11,1 \\ \epsilon_{1,6}^6, \epsilon_{1,7}^7, \epsilon_{1,8}^8, \epsilon_{1,9}^9, \epsilon_{1,10}^{10}, \epsilon_{1,11}^{11} \end{smallmatrix} \right\}, \right. & \quad \left. \left\{ \begin{smallmatrix} 11,16 & 10,16 & 9,16 & 8,16 & 7,16 & 6,16 \\ \epsilon_{11,16}^{11}, \epsilon_{10,16}^{11}, \epsilon_{9,16}^{11}, \epsilon_{8,16}^{11}, \epsilon_{7,16}^{11}, \epsilon_{6,16}^{11} \end{smallmatrix} \right\}, \right. \\
\frac{U_0 U_1 U_1}{S_0^- S_1^- S_2^-} \left\{ +1 \left\{ \begin{smallmatrix} 12,1 & 1,13 & 1,14 & 1,15 \\ \epsilon_{12,1}^{12}, \epsilon_{1,13}^{13}, \epsilon_{1,14}^{14}, \epsilon_{1,15}^{15} \end{smallmatrix} \right\}, \right. & \quad \frac{U_0 U_1 U_1 S_0^+}{S_0^- S_1^- S_2^- S_3^-} \left\{ -1 \left\{ \begin{smallmatrix} 16,5 & 16,4 & 16,3 & 16,2 \\ \epsilon_{5,16}^{16}, \epsilon_{4,16}^{16}, \epsilon_{3,16}^{16}, \epsilon_{2,16}^{16} \end{smallmatrix} \right\}, \right. \\
\left. \left\{ -1 \left\{ \begin{smallmatrix} 12,1 & 1,13 & 1,14 & 1,15 \\ \epsilon_{12,1}^{12}, \epsilon_{1,13}^{13}, \epsilon_{1,14}^{14}, \epsilon_{1,15}^{15} \end{smallmatrix} \right\}, \right. & \quad \left. \left\{ +1 \left\{ \begin{smallmatrix} 5,16 & 4,16 & 3,16 & 2,16 \\ \epsilon_{16,5}^{15}, \epsilon_{16,4}^{15}, \epsilon_{16,3}^{15}, \epsilon_{16,2}^{15} \end{smallmatrix} \right\}, \right. \\
-\frac{U_0^2}{S_0^- S_1^-} \left\{ \begin{smallmatrix} 2,3 & 2,4 & 2,5 & 3,4 & 3,5 & 4,5 \\ \epsilon_{3,2}^2, \epsilon_{4,2}^2, \epsilon_{5,2}^2, \epsilon_{3,4}^3, \epsilon_{4,5}^3, \epsilon_{5,4}^3 \end{smallmatrix} \right\}, & \quad \frac{U_0^2 S_0^+ S_1^+}{S_0^- S_1^- S_2^- S_3^-} \left\{ \begin{smallmatrix} 15,14 & 15,13 & 15,12 & 15,11 & 14,13 & 14,12 & 13,12 \\ \epsilon_{14,15}^{15}, \epsilon_{13,15}^{15}, \epsilon_{12,15}^{15}, \epsilon_{11,15}^{15}, \epsilon_{14,13}^{14}, \epsilon_{13,12}^{14}, \epsilon_{12,13}^{14} \end{smallmatrix} \right\}, \\
\left. \left\{ \begin{smallmatrix} 3,2 & 4,2 & 5,2 & 4,3 & 5,3 & 5,4 \\ \epsilon_{2,3}^2, \epsilon_{2,4}^2, \epsilon_{2,5}^2, \epsilon_{3,4}^3, \epsilon_{3,5}^3, \epsilon_{4,5}^3 \end{smallmatrix} \right\}, \right. & \quad \left. \left\{ \begin{smallmatrix} 14,15 & 13,15 & 12,15 & 13,14 & 12,14 & 12,13 \\ \epsilon_{15,14}^{15}, \epsilon_{15,13}^{15}, \epsilon_{15,12}^{15}, \epsilon_{14,13}^{14}, \epsilon_{14,12}^{14}, \epsilon_{13,12}^{13} \end{smallmatrix} \right\}, \right. \\
\frac{U_0^2 U_1}{S_0^- S_1^- S_2^-} \left\{ +1 \left\{ \begin{smallmatrix} 6,4 & 6,5 & 7,3 & 7,5 & 8,3 & 8,4 & 9,2 & 9,5 & 10,2 & 10,4 & 11,2 & 11,3 \\ \epsilon_{4,6}^4, \epsilon_{5,6}^5, \epsilon_{3,7}^7, \epsilon_{5,7}^7, \epsilon_{3,8}^8, \epsilon_{4,8}^8, \epsilon_{2,9}^9, \epsilon_{5,9}^9, \epsilon_{2,10}^{10}, \epsilon_{4,10}^{10}, \epsilon_{2,11}^{11}, \epsilon_{3,11}^{11} \end{smallmatrix} \right\}, \right. & \\
\left. \left\{ -1 \left\{ \begin{smallmatrix} 4,6 & 5,6 & 3,7 & 5,7 & 3,8 & 4,8 & 2,9 & 5,9 & 2,10 & 4,10 & 2,11 & 3,11 \\ \epsilon_{4,6}^4, \epsilon_{5,6}^5, \epsilon_{6,5}^5, \epsilon_{7,3}^7, \epsilon_{7,5}^7, \epsilon_{8,3}^8, \epsilon_{8,4}^8, \epsilon_{9,2}^9, \epsilon_{9,5}^9, \epsilon_{10,2}^{10}, \epsilon_{10,4}^{10}, \epsilon_{11,2}^{11}, \epsilon_{11,3}^{11} \end{smallmatrix} \right\}, \right. & \\
-\frac{U_0^2 S_0^+}{S_0^- S_1^- S_2^-} \left\{ \begin{smallmatrix} 6,7 & 6,8 & 6,9 & 6,10 & 7,8 & 7,9 & 7,11 & 8,10 & 8,11 & 9,10 & 9,11 & 11,10 \\ \epsilon_{7,6}^6, \epsilon_{8,6}^6, \epsilon_{9,6}^6, \epsilon_{10,6}^6, \epsilon_{8,7}^7, \epsilon_{9,7}^7, \epsilon_{11,7}^{11}, \epsilon_{10,8}^{10}, \epsilon_{11,8}^{11}, \epsilon_{10,9}^{10}, \epsilon_{11,9}^{11}, \epsilon_{10,11}^{10} \end{smallmatrix} \right\}, & \\
\left. \left\{ \begin{smallmatrix} 7,6 & 6,8 & 9,6 & 10,6 & 8,7 & 9,7 & 11,7 & 10,8 & 11,8 & 10,9 & 10,9 & 10,11 \\ \epsilon_{6,7}^6, \epsilon_{6,8}^6, \epsilon_{6,9}^6, \epsilon_{6,10}^6, \epsilon_{7,8}^7, \epsilon_{7,9}^7, \epsilon_{7,11}^{11}, \epsilon_{8,10}^{10}, \epsilon_{8,11}^{10}, \epsilon_{9,11}^{11}, \epsilon_{9,10}^{10}, \epsilon_{11,10}^{11} \end{smallmatrix} \right\}, \right. & \\
\frac{U_0^2 U_1 S_0^+}{S_0^- S_1^- S_2^- S_3^-} \left\{ -1 \left\{ \begin{smallmatrix} 6,14 & 6,15 & 7,13 & 7,15 & 8,12 & 8,15 & 9,13 & 9,14 & 10,12 & 10,14 & 11,12 & 11,13 \\ \epsilon_{14,6}^{14}, \epsilon_{15,6}^{15}, \epsilon_{13,7}^{13}, \epsilon_{15,7}^{15}, \epsilon_{12,8}^{12}, \epsilon_{15,8}^{15}, \epsilon_{13,9}^{13}, \epsilon_{14,9}^{14}, \epsilon_{12,10}^{12}, \epsilon_{14,10}^{14}, \epsilon_{12,11}^{12}, \epsilon_{13,11}^{13} \end{smallmatrix} \right\}, \right. & \\
\left. \left\{ +1 \left\{ \begin{smallmatrix} 13,6 & 6,15 & 7,13 & 7,15 & 8,12 & 8,15 & 9,13 & 9,14 & 10,12 & 10,14 & 11,12 & 11,13 \\ \epsilon_{6,14}^{13}, \epsilon_{6,15}^{15}, \epsilon_{7,13}^{13}, \epsilon_{7,15}^{15}, \epsilon_{8,12}^{12}, \epsilon_{8,15}^{15}, \epsilon_{9,13}^{13}, \epsilon_{9,14}^{14}, \epsilon_{10,12}^{12}, \epsilon_{10,14}^{14}, \epsilon_{11,12}^{12}, \epsilon_{11,13}^{13} \end{smallmatrix} \right\}, \right. & \\
\frac{U_0 S_0^+ S_1^+}{S_0^- S_1^- S_2^-} \left\{ +1 \left\{ \begin{smallmatrix} 6,12 & 6,13 & 7,12 & 7,14 & 8,13 & 8,14 & 9,12 & 9,15 & 10,13 & 10,15 & 11,14 & 11,15 \\ \epsilon_{12,6}^{12}, \epsilon_{13,6}^{13},$$

11

12

$$\begin{aligned}
& \frac{A_1^{\frac{1}{2}} A_2^{\frac{1}{2}} U_0}{\Delta^2 S_0^- S_1^- S_2^- S_3^-} \left\{ +q^{u+\frac{1}{2}} h_2(q) \left\{ q e^{\frac{11,6}{15,2}, \overline{q} e^{\frac{9,8}{15,2}}} \right\}, -\overline{q}^{u+\frac{1}{2}} h_2(\overline{q}) \left\{ \overline{q} e^{\frac{6,11}{2,15}, q e^{\frac{8,9}{2,15}}} \right\} \right\}, \\
& \frac{A_1^{\frac{1}{2}} A_2^{\frac{1}{2}} U_0}{\Delta^2 S_0^- S_1^- S_2^- S_3^-} \left\{ -\overline{q}^{\frac{1}{2}} h_2(\overline{q}) \left\{ \overline{q}^u \left\{ -e^{\frac{7,10}{2,15}, \frac{3,14}{6,11}} \right\}, q^u \left\{ -e^{\frac{7,10}{12,5}, \frac{6,11}{13,4}} \right\} \right\} \right\}, \\
& \frac{A_1^{\frac{1}{2}} A_2^{\frac{1}{2}} U_0}{\Delta^2 S_0^- S_1^- S_2^- S_3^-} \left\{ +q^{\frac{1}{2}} h_2(q) \left\{ q^u \left\{ -e^{\frac{10,7}{15,2}, \frac{11,6}{14,3}} \right\}, \overline{q}^u \left\{ -e^{\frac{10,7}{5,12}, \frac{11,6}{4,13}} \right\} \right\} \right\}, \\
& \frac{A_1^{\frac{1}{2}} A_2^{\frac{1}{2}} U_0}{\Delta^2 S_0^- S_1^- S_2^- S_3^-} \left\{ +\overline{q}^{u-\frac{1}{2}} h_2(q) \left\{ q \left\{ +e^{\frac{11,6}{5,12}, \frac{8,9}{11,6}} \right\}, \overline{q} \left\{ +e^{\frac{8,9}{5,12}, \frac{6,11}{6,11}} \right\} \right\}, -q^{u-\frac{1}{2}} h_2(\overline{q}) \left\{ \overline{q} \left\{ +e^{\frac{6,11}{12,5}, \frac{9,8}{9,8}} \right\}, q \left\{ +e^{\frac{9,8}{12,5}, \frac{6,11}{9,8}} \right\} \right\} \right\}, \\
& \frac{h_3(q) A_1^{\frac{1}{2}} A_2^{\frac{1}{2}} U_0}{\Delta^2 S_0^- S_1^- S_2^- S_3^-} \left\{ -q^{u+\frac{1}{2}} \left\{ e^{\frac{8,9}{14,3}, \frac{10,7}{13,4}} \right\}, +q^{u-\frac{1}{2}} \left\{ e^{\frac{7,10}{14,3}, \frac{8,9}{13,4}} \right\}, +\overline{q}^{u+\frac{1}{2}} \left\{ e^{\frac{9,8}{3,14}, \frac{7,10}{4,13}} \right\}, -\overline{q}^{u-\frac{1}{2}} \left\{ e^{\frac{10,7}{3,14}, \frac{9,8}{4,13}} \right\} \right\}, \\
& \frac{h_3(q) A_1^{\frac{1}{2}} A_2^{\frac{1}{2}} U_0}{\Delta^2 S_0^- S_1^- S_2^- S_3^-} \left\{ +q^{u+\frac{1}{2}} \left\{ e^{\frac{14,3}{8,9}, \frac{13,4}{10,7}} \right\}, -q^{u-\frac{1}{2}} \left\{ e^{\frac{14,3}{7,10}, \frac{13,4}{8,9}} \right\}, -\overline{q}^{u+\frac{1}{2}} \left\{ e^{\frac{3,14}{9,8}, \frac{4,13}{7,10}} \right\}, +\overline{q}^{u-\frac{1}{2}} \left\{ e^{\frac{3,14}{10,7}, \frac{4,13}{9,8}} \right\} \right\}, \\
& \frac{U_0^2}{\Delta^2 S_0^- S_1^- S_2^- S_3^-} \left\{ -\overline{q} h_4(q) \left\{ e^{\frac{7,10}{11,6}, \frac{8,9}{10,7}, \frac{9,8}{10,7}} \right\}, h_4(q) \left\{ e^{\frac{9,8}{11,6}, \frac{8,9}{8,9}, \frac{11,6}{10,7}} \right\}, -q h_4(q) \left\{ e^{\frac{11,6}{10,7}, \frac{6,11}{10,7}} \right\} \right\}, \\
& \frac{U_0^2}{\Delta^2 S_0^- S_1^- S_2^- S_3^-} \left\{ -q h_4(\overline{q}) \left\{ e^{\frac{10,7}{6,11}, \frac{9,8}{7,10}, \frac{8,9}{7,10}} \right\}, h_4(\overline{q}) \left\{ e^{\frac{8,9}{6,11}, \frac{6,11}{9,8}, \frac{6,11}{7,10}} \right\}, -\overline{q} h_4(\overline{q}) \left\{ e^{\frac{6,11}{7,10}, \frac{9,8}{6,11}} \right\} \right\}, \\
& \frac{U_0 U_1}{\Delta^2 S_0^- S_1^- S_2^- S_3^-} \left\{ -\overline{q} h_5(q) \left\{ e^{\frac{3,14}{15,2}, \frac{5,12}{13,4}, \frac{4,13}{14,3}} \right\}, h_5(q) \left\{ e^{\frac{5,12}{14,3}, \frac{4,13}{15,2}, \frac{4,13}{15,2}} \right\}, -q h_5(q) \left\{ e^{\frac{5,12}{5,12}, \frac{4,13}{4,13}} \right\} \right\}, \\
& \frac{U_0 U_1}{\Delta^2 S_0^- S_1^- S_2^- S_3^-} \left\{ -q h_5(\overline{q}) \left\{ e^{\frac{2,15}{14,3}, \frac{4,13}{12,5}, \frac{3,14}{13,4}} \right\}, h_5(\overline{q}) \left\{ e^{\frac{13,4}{2,15}, \frac{12,5}{9,14}, \frac{12,5}{8,15}} \right\}, -\overline{q} h_5(\overline{q}) \left\{ e^{\frac{12,5}{2,15}, \frac{3,14}{6,11}} \right\} \right\}, \\
& \frac{U_0 S_0^+}{\Delta^2 S_0^- S_1^- S_2^- S_3^-} \left\{ h_6(q) \left\{ -1 \left\{ e^{\frac{7,13}{14,6}, \frac{8,12}{13,7}, \frac{9,13}{15,6}, \frac{9,14}{15,7}, \frac{10,12}{13,9}, \frac{10,14}{15,8}, \frac{11,12}{14,9}, \frac{11,13}{14,10}} \right\} \right\}, \right. \\
& \left. h_6(\overline{q}) \left\{ +1 \left\{ e^{\frac{7,13}{13,7}, \frac{8,12}{12,8}, \frac{9,13}{13,9}, \frac{9,14}{14,9}, \frac{10,12}{12,10}, \frac{10,14}{12,11}, \frac{11,12}{13,11}, \frac{11,13}{13,11}} \right\} \right\}, \right. \\
& \left. h_6(q) \left\{ +1 \left\{ e^{\frac{13,7}{6,14}, \frac{12,8}{7,13}, \frac{13,9}{6,15}, \frac{14,9}{7,15}, \frac{12,10}{9,13}, \frac{12,11}{8,15}, \frac{13,11}{9,14}, \frac{13,11}{10,14}} \right\} \right\}, \right. \\
& \left. h_6(\overline{q}) \left\{ -1 \left\{ e^{\frac{13,7}{13,7}, \frac{12,8}{12,8}, \frac{13,9}{13,9}, \frac{14,9}{14,9}, \frac{12,10}{12,10}, \frac{12,11}{12,11}, \frac{13,11}{13,11}, \frac{13,11}{13,11}} \right\} \right\} \right\}, \\
& \frac{U_0 S_0^+}{\Delta^2 S_0^- S_1^- S_2^- S_3^-} \left\{ q h_6(q) \left\{ +1 \left\{ e^{\frac{8,12}{14,6}, \frac{10,12}{15,6}, \frac{11,12}{15,7}, \frac{11,13}{15,8}} \right\} \right\}, \right. \\
& \left. q h_6(\overline{q}) \left\{ -1 \left\{ e^{\frac{8,12}{12,8}, \frac{10,12}{12,10}, \frac{11,12}{12,11}, \frac{11,13}{13,11}} \right\} \right\}, \right. \\
& \left. q h_6(q) \left\{ -1 \left\{ e^{\frac{6,14}{6,14}, \frac{6,15}{6,15}, \frac{7,15}{7,15}, \frac{8,15}{8,15}} \right\} \right\}, \right. \\
& \left. q h_6(\overline{q}) \left\{ +1 \left\{ e^{\frac{12,8}{12,8}, \frac{10,12}{12,10}, \frac{11,12}{12,11}, \frac{11,13}{13,11}} \right\} \right\} \right\},
\end{aligned}$$

where:

$$\begin{aligned}
g_1(q) &= -2q + (q^{1+2\alpha} + \overline{q}^{1+2\alpha}) + q^{2u}(q - \overline{q}) \\
g_2(q) &= \overline{q}^u(-2 + (q^{2+2\alpha} + \overline{q}^{2+2\alpha}) + (q^{2u} + \overline{q}^{2u}) - (q^{2u-2} + \overline{q}^{2u-2})) \\
g_3(q) &= -2q^2 + (q^{2\alpha+2} + \overline{q}^{2\alpha+2}) + q^{2u}(q^2 - \overline{q}^2) \\
g_4(q) &= -2q + (q^{3+2\alpha} + \overline{q}^{3+2\alpha}) + q^{2u}(q - \overline{q}) \\
g_5(q) &= -2q^2 + (q^{4+2\alpha} + \overline{q}^{4+2\alpha}) + q^{2u}(q^2 - \overline{q}^2) \\
g_6(q) &= -2q^3 + (q^{3+2\alpha} + \overline{q}^{3+2\alpha}) + q^{2u}(q^3 - \overline{q}^3) \\
g_7(q) &= -2q + (q^{3+2\alpha} + \overline{q}^{3+2\alpha}) + q(q^{2u} + \overline{q}^{2u}) - (q^{2u-3} + \overline{q}^{2u-3}) \\
g_8(q) &= q^u(-2 + (q^{4+2\alpha} + \overline{q}^{4+2\alpha}) + (q^{2u} + \overline{q}^{2u}) - (q^{2u-2} + \overline{q}^{2u-2})) \\
g_9(q) &= -2q + (q^{5+2\alpha} - \overline{q}^{5+2\alpha}) + q^{2u}(q - \overline{q}) \\
g_{10}(q) &= 1 + 2q^2 + 3q^4 - 2\overline{q}^{2+2\alpha} - 2\overline{q}^{2\alpha} - 2q^{4+2\alpha} - 2q^{6+2\alpha} + (q^{6+4\alpha} + \overline{q}^{6+4\alpha}) + 2q^{2u} - q^{4u} - q^{2u}(q^2 - \overline{q}^2) \\
&\quad - 2q^{4+2u} + q^{4u-4} + q^{2u}(q^{4+2\alpha} - \overline{q}^{4+2\alpha}) + q^{4u}(q^2 - \overline{q}^2) + q^{2u}(q^{6+2\alpha} - \overline{q}^{6+2\alpha}) - q^{2u}(q^{2\alpha} - \overline{q}^{2\alpha}) \\
&\quad - q^{2u}(q^{2+2\alpha} - \overline{q}^{2+2\alpha}) \\
g_{11}(q) &= 3 - \overline{q}^2 + 5q^2 - q^4 + (q^{6+4\alpha} + \overline{q}^{6+4\alpha}) - 4\overline{q}^{2+2\alpha} - 4q^{4+2\alpha} + 2q^{-2-2\alpha+2u} + 2q^{4+2\alpha+2u} \\
&\quad - (q^{2\alpha+2u} + \overline{q}^{2\alpha+2u}) - (q^{2+2\alpha+2u} - \overline{q}^{2+2\alpha+2u}) + (q^{4+2\alpha-2u} - \overline{q}^{4+2\alpha-2u}) - (q^{6+2\alpha-2u} + \overline{q}^{6+2\alpha-2u}) \\
&\quad - 2q^2(q^{2u} + \overline{q}^{2u}) + 2q^{4-2u} - 2\overline{q}^{2-4u} - 2q^{2u} + q^{4u} + \overline{q}^{4-4u} + 4\overline{q}^{2-2u} \\
g_{12}(q) &= 6 + (q^2 + \overline{q}^2) - (q^4 + \overline{q}^4) - 2(q^{2+2\alpha} + \overline{q}^{2+2\alpha}) - 2(q^{4+2\alpha} + \overline{q}^{4+2\alpha}) + (q^{6+4\alpha} + \overline{q}^{6+4\alpha}) + 2q^{4-2u},
\end{aligned}$$

and:

$$\begin{aligned}
h_1(q) &= -q(q + \overline{q}) + (q^{2+2\alpha} + \overline{q}^{2+2\alpha}) + q^{2u-1}(q - \overline{q}) \\
h_2(q) &= -(q^{3+2\alpha} + \overline{q}^{3+2\alpha}) - q^{u+1}(q^u - \overline{q}^u) + q^u(q^{3+u} + \overline{q}^{3+u}) \\
h_3(q) &= (q + \overline{q}) - (q^{3+2\alpha} + \overline{q}^{3+2\alpha}) - (q^{1-2u} + \overline{q}^{1-2u}) + (q^{3-2u} + \overline{q}^{3-2u}) \\
h_4(q) &= -2q^2 + q(\overline{q}^{3+2\alpha} + q^{3+2\alpha}) + q^{2u-1}(q - \overline{q})
\end{aligned}$$

$$\begin{aligned}
h_5(q) &= q^{2u-1}(q - \bar{q}) - q^2(q^2 - \bar{q}^2) + q(q^{3+2\alpha} + \bar{q}^{3+2\alpha}) \\
h_6(q) &= -(q^{4+2\alpha} + \bar{q}^{4+2\alpha}) - q^u(q^u - \bar{q}^u) + q^u(q^{2-u} + \bar{q}^{2-u}).
\end{aligned}$$

\check{R}^4 has 758 nonzero components:

$$\begin{aligned}
& 1 \left\{ \begin{smallmatrix} 1,1 \\ 1,1 \end{smallmatrix} \right\}, \quad q^{4\alpha+2} \left\{ \begin{smallmatrix} 6,6 & 7,7 & 8,8 & 9,9 & 10,10 & 11,11 \\ 6,6 & 7,7 & 8,8 & 9,9 & 10,10 & 11,11 \end{smallmatrix} \right\}, \quad q^{8\alpha+12} \left\{ \begin{smallmatrix} 16,16 \\ 16,16 \end{smallmatrix} \right\}, \\
& -q^{2\alpha} \left\{ \begin{smallmatrix} 2,2 & 3,3 & 4,4 & 5,5 \\ 2,2 & 3,3 & 4,4 & 5,5 \end{smallmatrix} \right\}, \quad -q^{6\alpha+6} \left\{ \begin{smallmatrix} 12,12 & 13,13 & 14,14 & 15,15 \\ 12,12 & 13,13 & 14,14 & 15,15 \end{smallmatrix} \right\}, \\
& -\Delta q^\alpha A_0 \left\{ \begin{smallmatrix} 2,1 & 3,1 & 4,1 & 5,1 \\ 2,1 & 3,1 & 4,1 & 5,1 \end{smallmatrix} \right\}, \quad -\Delta^3 q^{3\alpha+3} A_0 A_1 A_2 \left\{ \begin{smallmatrix} 12,1 & 13,1 & 14,1 & 15,1 \\ 12,1 & 13,1 & 14,1 & 15,1 \end{smallmatrix} \right\}, \\
& \Delta q^{7\alpha+9} A_3 \left\{ \begin{smallmatrix} 16,15 & 16,14 & 16,13 & 16,12 \\ 16,15 & 16,14 & 16,13 & 16,12 \end{smallmatrix} \right\}, \quad \Delta^3 q^{5\alpha+6} A_1 A_2 A_3 \left\{ \begin{smallmatrix} 16,5 & 16,4 & 16,3 & 16,2 \\ 16,5 & 16,4 & 16,3 & 16,2 \end{smallmatrix} \right\}, \\
& \Delta^2 q^{2\alpha+1} A_0 A_1 \left\{ \begin{smallmatrix} 6,1 & 7,1 & 8,1 & 9,1 & 10,1 & 11,1 \\ 6,1 & 7,1 & 8,1 & 9,1 & 10,1 & 11,1 \end{smallmatrix} \right\}, \\
& \Delta^2 q^{6\alpha+7} A_2 A_3 \left\{ \begin{smallmatrix} 16,11 & 16,10 & 16,9 & 16,8 & 16,6 & 16,7 \\ 16,11 & 16,10 & 16,9 & 16,8 & 16,6 & 16,7 \end{smallmatrix} \right\}, \\
& \Delta q^{2\alpha+1} \left\{ \begin{smallmatrix} 3,2 & 4,2 & 5,2 & 4,3 & 5,3 & 5,4 \\ 3,2 & 4,2 & 5,2 & 4,3 & 5,3 & 5,4 \end{smallmatrix} \right\}, \quad \Delta q^{6\alpha+1} \left\{ \begin{smallmatrix} 15,14 & 15,13 & 15,12 & 14,13 & 14,12 & 13,12 \\ 15,14 & 15,13 & 15,12 & 14,13 & 14,12 & 13,12 \end{smallmatrix} \right\}, \\
& \Delta q^{6\alpha+7} A_0 \left\{ \begin{smallmatrix} 6,2 & 6,3 & 7,2 & 7,4 & 8,2 & 8,5 & 9,3 & 9,4 & 10,3 & 10,5 & 11,4 & 11,5 \\ 6,2 & 6,3 & 7,2 & 7,4 & 8,2 & 8,5 & 9,3 & 9,4 & 10,3 & 10,5 & 11,4 & 11,5 \end{smallmatrix} \right\}, \\
& -\Delta q^{5\alpha+4} A_2 \left\{ \begin{smallmatrix} 12,6 & 12,7 & 12,9 & 13,6 & 13,8 & 13,10 & 14,7 & 14,8 & 14,11 & 15,9 & 15,10 & 15,11 \\ 12,6 & 12,7 & 12,9 & 13,6 & 13,8 & 13,10 & 14,7 & 14,8 & 14,11 & 15,9 & 15,10 & 15,11 \end{smallmatrix} \right\}, \\
& -\Delta^2 q^{4\alpha+3} A_1 A_2 \left\{ \begin{smallmatrix} 12,2 & 12,3 & 12,4 & 13,2 & 13,3 & 13,5 & 14,2 & 14,4 & 14,5 & 15,3 & 15,4 & 15,5 \\ 12,2 & 12,3 & 12,4 & 13,2 & 13,3 & 13,5 & 14,2 & 14,4 & 14,5 & 15,3 & 15,4 & 15,5 \end{smallmatrix} \right\}, \\
& -\Delta q^{4\alpha+3} \left\{ \begin{smallmatrix} 7,6 & 8,6 & 8,7 & 9,6 & 9,7 & 10,6 & 10,8 & 10,9 & 11,7 & 11,8 & 11,9 & 11,10 \\ 7,6 & 8,6 & 8,7 & 9,6 & 9,7 & 10,6 & 10,8 & 10,9 & 11,7 & 11,8 & 11,9 & 11,10 \end{smallmatrix} \right\}, \\
& -\Delta^2 q^{3\alpha+2} A_1 \left\{ \begin{smallmatrix} 7,3 & 8,3 & 8,4 & 10,4 \\ 7,3 & 8,3 & 8,4 & 10,4 \end{smallmatrix} \right\}, \quad \Delta^2 q^{5\alpha+5} A_2 \left\{ \begin{smallmatrix} 14,10 & 14,9 & 13,9 & 13,7 \\ 14,10 & 14,9 & 13,9 & 13,7 \end{smallmatrix} \right\}, \\
& -\Delta q^{3\alpha+3} (q^2 - \bar{q}^2) A_0 \left\{ \begin{smallmatrix} 9,2 & 10,2 & 11,2 & 11,3 \\ 9,2 & 10,2 & 11,2 & 11,3 \end{smallmatrix} \right\}, \quad \Delta q^{5\alpha+6} (q^2 - \bar{q}^2) A_2 \left\{ \begin{smallmatrix} 15,8 & 15,7 & 15,6 & 14,6 \\ 15,8 & 15,7 & 15,6 & 14,6 \end{smallmatrix} \right\}, \\
& \Delta^2 q^{4\alpha+4} \left\{ \begin{smallmatrix} 10,7 \\ 10,7 \end{smallmatrix} \right\}, \quad \Delta^2 q^{4\alpha+5} (q + \bar{q}) \left\{ \begin{smallmatrix} 11,6 \\ 11,6 \end{smallmatrix} \right\}, \quad \Delta^3 q^{4\alpha+6} (q^2 + 1 + \bar{q}^2) A_1 A_2 \left\{ \begin{smallmatrix} 15,2 \\ 15,2 \end{smallmatrix} \right\}, \\
& \Delta^2 q^{4\alpha+5} (q^2 - \bar{q}^2) A_1 A_2 \left\{ \begin{smallmatrix} 14,3 \\ 14,3 \end{smallmatrix} \right\}, \quad \Delta^3 q^{4\alpha+4} A_1 A_2 \left\{ \begin{smallmatrix} 13,4 \\ 13,4 \end{smallmatrix} \right\}, \quad \Delta^4 q^{4\alpha+6} A_0 A_1 A_2 A_3 \left\{ \begin{smallmatrix} 16,1 \\ 16,1 \end{smallmatrix} \right\}, \\
& q^\alpha \left\{ \begin{smallmatrix} 1,2 & 1,3 & 1,4 & 1,5 \\ 2,1 & 3,1 & 4,1 & 5,1 \\ 1,2 & 1,3 & 1,4 & 1,5 \end{smallmatrix} \right\}, \quad q^{3\alpha} \left\{ \begin{smallmatrix} 1,12 & 1,13 & 1,14 & 1,15 \\ 12,1 & 13,1 & 14,1 & 15,1 \\ 1,12 & 1,13 & 1,14 & 1,15 \end{smallmatrix} \right\}, \quad q^{4\alpha} \left\{ \begin{smallmatrix} 1,16 \\ 16,1 \\ 1,16 \end{smallmatrix} \right\}, \\
& q^{2\alpha} \left\{ \begin{smallmatrix} 1,6 & 1,7 & 1,8 & 1,9 & 1,10 & 1,11 \\ 6,1 & 7,1 & 8,1 & 9,1 & 10,1 & 11,1 \\ 1,6 & 1,7 & 1,8 & 1,9 & 1,10 & 1,11 \end{smallmatrix} \right\}, \quad -q^{2\alpha+1} \left\{ \begin{smallmatrix} 2,3 & 2,4 & 2,5 & 3,4 & 3,5 & 4,5 \\ 3,2 & 4,2 & 5,2 & 4,3 & 5,3 & 5,4 \\ 2,3 & 2,4 & 2,5 & 3,4 & 3,5 & 4,5 \end{smallmatrix} \right\}, \\
& q^{3\alpha+1} \left\{ \begin{smallmatrix} 6,2 & 7,2 & 8,2 & 6,3 & 9,3 & 10,3 & 7,4 & 9,4 & 11,4 & 8,5 & 10,5 & 11,5 \\ 2,6 & 2,7 & 2,8 & 3,6 & 3,9 & 3,10 & 4,7 & 4,9 & 4,11 & 5,8 & 5,10 & 5,11 \\ 6,2 & 7,2 & 8,2 & 6,3 & 9,3 & 10,3 & 7,4 & 9,4 & 11,4 & 8,5 & 10,5 & 11,5 \end{smallmatrix} \right\}, \\
& q^{3\alpha+2} \left\{ \begin{smallmatrix} 6,4 & 6,5 & 7,3 & 7,5 & 8,3 & 8,4 & 9,2 & 9,5 & 10,2 & 10,4 & 11,2 & 11,3 \\ 4,6 & 5,6 & 3,7 & 5,7 & 3,8 & 4,8 & 2,9 & 5,9 & 2,10 & 4,10 & 2,11 & 3,11 \\ 6,4 & 6,5 & 7,3 & 7,5 & 8,3 & 8,4 & 9,2 & 9,5 & 10,2 & 10,4 & 11,2 & 11,3 \end{smallmatrix} \right\}, \\
& -q^{4\alpha+2} \left\{ \begin{smallmatrix} 2,12 & 2,13 & 2,14 & 3,12 & 3,13 & 3,15 & 4,12 & 4,14 & 4,15 & 5,13 & 5,14 & 5,15 \\ 12,2 & 13,2 & 14,2 & 12,3 & 13,3 & 15,3 & 12,4 & 14,4 & 13,5 & 14,5 & 15,4 & 15,5 \\ 2,12 & 2,13 & 2,14 & 3,12 & 3,13 & 3,15 & 4,12 & 4,14 & 4,15 & 5,13 & 5,14 & 5,15 \end{smallmatrix} \right\}, \\
& q^{4\alpha+3} \left\{ \begin{smallmatrix} 7,11 & 8,11 & 9,11 & 10,11 & 8,10 & 9,10 & 7,8 & 7,9 & 6,7 & 6,8 & 6,9 & 6,10 \\ 11,7 & 11,8 & 11,9 & 11,10 & 10,8 & 10,9 & 8,7 & 9,7 & 7,6 & 8,6 & 9,6 & 10,6 \\ 7,11 & 8,11 & 9,11 & 10,11 & 8,10 & 9,10 & 7,8 & 7,9 & 6,7 & 6,8 & 6,9 & 6,10 \end{smallmatrix} \right\}, \\
& q^{5\alpha+3} \left\{ \begin{smallmatrix} 16,5 & 16,4 & 16,3 & 16,2 \\ 5,16 & 4,16 & 3,16 & 2,16 \\ 16,5 & 16,4 & 16,3 & 16,2 \end{smallmatrix} \right\}, \quad -q^{4\alpha+3} \left\{ \begin{smallmatrix} 2,15 & 3,14 & 4,13 & 5,12 \\ 15,2 & 14,3 & 13,4 & 12,5 \\ 2,15 & 3,14 & 4,13 & 5,12 \end{smallmatrix} \right\}, \\
& q^{5\alpha+4} \left\{ \begin{smallmatrix} 6,12 & 6,13 & 7,12 & 7,14 & 8,13 & 8,14 & 9,12 & 9,15 & 10,13 & 10,15 & 11,14 & 11,15 \\ 12,6 & 13,6 & 12,7 & 14,7 & 13,8 & 14,8 & 12,9 & 15,9 & 13,10 & 15,10 & 14,11 & 15,11 \\ 6,12 & 6,13 & 7,12 & 7,14 & 8,13 & 8,14 & 9,12 & 9,15 & 10,13 & 10,15 & 11,14 & 11,15 \end{smallmatrix} \right\}, \\
& q^{5\alpha+5} \left\{ \begin{smallmatrix} 6,14 & 6,15 & 7,13 & 7,15 & 8,12 & 8,15 & 9,13 & 9,14 & 10,12 & 10,14 & 11,12 & 11,13 \\ 14,6 & 15,6 & 13,7 & 15,7 & 12,8 & 15,8 & 13,9 & 14,9 & 12,10 & 14,10 & 12,11 & 13,11 \\ 6,14 & 6,15 & 7,13 & 7,15 & 8,12 & 8,15 & 9,13 & 9,14 & 10,12 & 10,14 & 11,12 & 11,13 \end{smallmatrix} \right\}, \\
& q^{6\alpha+6} \left\{ \begin{smallmatrix} 6,16 & 7,16 & 8,16 & 9,16 & 10,16 & 11,16 \\ 16,6 & 16,7 & 16,8 & 16,9 & 16,10 & 16,11 \\ 6,16 & 7,16 & 8,16 & 9,16 & 10,16 & 11,16 \end{smallmatrix} \right\}, \quad -q^{6\alpha+7} \left\{ \begin{smallmatrix} 12,13 & 12,14 & 13,14 & 12,15 & 13,15 & 14,15 \\ 13,12 & 14,12 & 14,13 & 15,12 & 15,13 & 15,14 \\ 12,13 & 12,14 & 13,14 & 12,15 & 13,15 & 14,15 \end{smallmatrix} \right\}, \\
& q^{7\alpha+9} \left\{ \begin{smallmatrix} 16,15 & 16,14 & 16,13 & 16,12 \\ 15,16 & 14,16 & 13,16 & 12,16 \\ 16,15 & 16,14 & 16,13 & 16,12 \end{smallmatrix} \right\}, \quad q^{4\alpha+4} \left\{ \begin{smallmatrix} 6,11 & 7,10 & 8,9 \\ 11,6 & 10,7 & 9,8 \\ 6,11 & 7,10 & 8,9 \end{smallmatrix} \right\}, \\
& \Delta q^{3\alpha+3} \left\{ \begin{smallmatrix} 9,2 & 10,2 & 11,2 & 11,3 \\ 4,6 & 5,6 & 5,7 & 5,9 \\ 9,2 & 10,2 & 11,2 & 11,3 \end{smallmatrix} \right\}, \quad \Delta q^{3\alpha+2} \left\{ \begin{smallmatrix} 7,3 & 8,3 & 8,4 & 9,2 & 10,2 & 10,4 & 11,2 & 11,3 \\ 4,6 & 5,6 & 5,7 & 3,7 & 3,8 & 5,9 & 4,8 & 4,10 \\ 7,3 & 8,3 & 8,4 & 9,2 & 10,2 & 10,4 & 11,2 & 11,3 \end{smallmatrix} \right\},
\end{aligned}$$

$$\begin{aligned}
& \Delta_q^{4\alpha+5} \left\{ -\overline{q} \begin{Bmatrix} \epsilon_{15,2}^{4,13}, \epsilon_{14,3}^{5,12}, \epsilon_{11,6}^{7,10}, \epsilon_{10,7}^{8,9}, \epsilon_{10,7}^{9,8} \\ \epsilon_{4,13}^{15,2}, \epsilon_{5,12}^{14,3}, \epsilon_{7,10}^{11,6}, \epsilon_{8,9}^{10,7}, \epsilon_{9,8}^{10,7} \end{Bmatrix}, \begin{Bmatrix} \epsilon_{15,2}^{5,12}, \epsilon_{11,6}^{8,9}, \epsilon_{11,6}^{9,8} \\ \epsilon_{15,2}^{15,2}, \epsilon_{11,6}^{11,6}, \epsilon_{11,6}^{11,6} \end{Bmatrix}, -q \begin{Bmatrix} \epsilon_{10,7}^{10,7} \\ \epsilon_{11,6}^{11,6} \\ \epsilon_{10,7}^{10,7} \end{Bmatrix} \right\}, \\
& \Delta_q^{5\alpha+5} \left\{ +1 \begin{Bmatrix} \epsilon_{14,6}^{7,13}, \epsilon_{13,7}^{8,12}, \epsilon_{15,6}^{9,13}, \epsilon_{15,7}^{9,14}, \epsilon_{13,9}^{10,12}, \epsilon_{15,8}^{10,14}, \epsilon_{14,9}^{11,12}, \epsilon_{14,10}^{11,13} \end{Bmatrix}, \right. \\
& \quad \left. -1 \begin{Bmatrix} \epsilon_{14,6}^{14,6}, \epsilon_{13,7}^{13,7}, \epsilon_{15,6}^{15,6}, \epsilon_{15,7}^{15,7}, \epsilon_{13,9}^{13,9}, \epsilon_{15,8}^{15,8}, \epsilon_{14,9}^{14,9}, \epsilon_{14,10}^{14,10} \end{Bmatrix} \right\}, \quad \Delta_q^{4\alpha+3} \begin{Bmatrix} \epsilon_{15,2}^{3,14}, \epsilon_{14,3}^{4,13}, \epsilon_{15,2}^{5,12} \\ \epsilon_{15,2}^{15,2}, \epsilon_{14,3}^{14,3}, \epsilon_{13,4}^{13,4} \\ \epsilon_{3,14}^{3,14}, \epsilon_{4,13}^{4,13}, \epsilon_{5,12}^{5,12} \end{Bmatrix}, \\
& \Delta_q^{5\alpha+6} \left\{ -1 \begin{Bmatrix} \epsilon_{14,6}^{8,12}, \epsilon_{15,6}^{10,12}, \epsilon_{15,7}^{11,12}, \epsilon_{15,8}^{11,13} \\ \epsilon_{14,6}^{14,6}, \epsilon_{15,6}^{15,6}, \epsilon_{15,7}^{15,7}, \epsilon_{15,8}^{15,8} \end{Bmatrix}, \right. \\
& \quad \left. +1 \begin{Bmatrix} \epsilon_{8,12}^{8,12}, \epsilon_{10,12}^{10,12}, \epsilon_{11,12}^{11,12}, \epsilon_{11,13}^{11,13} \end{Bmatrix} \right\}, \\
& \Delta_q^{2\alpha+1} A_0^{\frac{1}{2}} A_1^{\frac{1}{2}} \left\{ \begin{aligned} & -q^{\frac{1}{2}} \begin{Bmatrix} \epsilon_{3,2}^{6,1}, \epsilon_{4,2}^{7,1}, \epsilon_{5,2}^{8,1}, \epsilon_{4,3}^{9,1}, \epsilon_{5,3}^{10,1}, \epsilon_{5,4}^{11,1} \end{Bmatrix} \\ & +q^{\frac{1}{2}} \begin{Bmatrix} \epsilon_{6,1}^{3,2}, \epsilon_{7,1}^{4,2}, \epsilon_{8,1}^{5,2}, \epsilon_{9,1}^{4,3}, \epsilon_{10,1}^{5,3}, \epsilon_{11,1}^{5,4} \end{Bmatrix} \\ & +\overline{q}^{\frac{1}{2}} \begin{Bmatrix} \epsilon_{2,3}^{6,1}, \epsilon_{2,4}^{7,1}, \epsilon_{2,5}^{8,1}, \epsilon_{3,4}^{9,1}, \epsilon_{3,5}^{10,1}, \epsilon_{4,5}^{11,1} \end{Bmatrix} \\ & -\overline{q}^{\frac{1}{2}} \begin{Bmatrix} \epsilon_{6,1}^{2,3}, \epsilon_{7,1}^{2,4}, \epsilon_{8,1}^{2,5}, \epsilon_{9,1}^{3,4}, \epsilon_{10,1}^{3,5}, \epsilon_{11,1}^{4,5} \end{Bmatrix} \end{aligned} \right\}, \\
& \Delta_q^{3\alpha+3} A_1 \left\{ q \begin{Bmatrix} \epsilon_{9,2}^{7,3}, \epsilon_{10,2}^{8,3}, \epsilon_{11,2}^{8,4}, \epsilon_{11,3}^{10,4} \\ \epsilon_{7,3}^{9,2}, \epsilon_{8,3}^{10,2}, \epsilon_{8,4}^{11,2}, \epsilon_{10,4}^{11,3} \end{Bmatrix}, - \begin{Bmatrix} \epsilon_{6,4}^{6,4}, \epsilon_{6,5}^{6,5}, \epsilon_{7,5}^{7,5}, \epsilon_{9,5}^{9,5} \\ \epsilon_{9,2}^{9,2}, \epsilon_{10,2}^{10,2}, \epsilon_{11,2}^{11,2}, \epsilon_{11,3}^{11,3} \end{Bmatrix}, \overline{q} \begin{Bmatrix} \epsilon_{6,4}^{6,4}, \epsilon_{6,5}^{6,5}, \epsilon_{7,5}^{7,5}, \epsilon_{9,5}^{9,5} \\ \epsilon_{7,3}^{7,3}, \epsilon_{8,3}^{8,3}, \epsilon_{8,4}^{8,4}, \epsilon_{10,4}^{10,4} \end{Bmatrix} \right\}, \\
& \Delta_q^{3\alpha+\frac{1}{2}} A_0^{\frac{1}{2}} A_2^{\frac{1}{2}} \left\{ -q^{\frac{1}{2}} \begin{Bmatrix} \epsilon_{12,1}^{2,9}, \epsilon_{13,1}^{2,10}, \epsilon_{14,1}^{2,11}, \epsilon_{15,1}^{3,11} \\ \epsilon_{12,1}^{12,1}, \epsilon_{13,1}^{13,1}, \epsilon_{14,1}^{14,1}, \epsilon_{15,1}^{15,1} \end{Bmatrix}, +\overline{q}^{\frac{1}{2}} \begin{Bmatrix} \epsilon_{3,7}^{3,7}, \epsilon_{3,8}^{3,8}, \epsilon_{4,8}^{4,8}, \epsilon_{4,10}^{4,10} \\ \epsilon_{12,1}^{12,1}, \epsilon_{13,1}^{13,1}, \epsilon_{14,1}^{14,1}, \epsilon_{15,1}^{15,1} \end{Bmatrix} \right\}, \\
& -\Delta_q^{3\alpha+3} A_0^{\frac{1}{2}} A_2^{\frac{1}{2}} \left\{ \begin{Bmatrix} \epsilon_{12,1}^{4,6}, \epsilon_{13,1}^{5,6}, \epsilon_{14,1}^{5,7}, \epsilon_{15,1}^{5,9} \\ \epsilon_{12,1}^{12,1}, \epsilon_{13,1}^{13,1}, \epsilon_{14,1}^{14,1}, \epsilon_{15,1}^{15,1} \end{Bmatrix}, \right. \\
& \quad \left. \epsilon_{4,6}^{4,6}, \epsilon_{5,6}^{5,6}, \epsilon_{5,7}^{5,7}, \epsilon_{5,9}^{5,9} \right\}, \\
& \Delta_q^{4\alpha+3} A_1^{\frac{1}{2}} A_2^{\frac{1}{2}} \left\{ \begin{aligned} & -q^{\frac{1}{2}} \begin{Bmatrix} \epsilon_{12,2}^{7,6}, \epsilon_{13,2}^{8,6}, \epsilon_{12,3}^{9,6}, \epsilon_{13,3}^{10,6}, \epsilon_{14,2}^{8,7}, \epsilon_{12,4}^{9,7}, \epsilon_{14,4}^{11,7}, \epsilon_{13,5}^{10,8}, \epsilon_{14,5}^{11,8}, \epsilon_{15,3}^{10,9}, \epsilon_{15,4}^{11,9}, \epsilon_{15,5}^{11,10} \end{Bmatrix} \\ & +q^{\frac{1}{2}} \begin{Bmatrix} \epsilon_{7,6}^{12,2}, \epsilon_{8,6}^{13,2}, \epsilon_{9,6}^{12,3}, \epsilon_{10,6}^{13,3}, \epsilon_{8,7}^{14,2}, \epsilon_{9,7}^{12,4}, \epsilon_{11,7}^{14,4}, \epsilon_{10,8}^{13,5}, \epsilon_{11,8}^{14,5}, \epsilon_{10,9}^{15,3}, \epsilon_{11,9}^{15,4}, \epsilon_{11,10}^{15,5} \end{Bmatrix} \\ & +\overline{q}^{\frac{1}{2}} \begin{Bmatrix} \epsilon_{12,2}^{6,7}, \epsilon_{13,2}^{6,8}, \epsilon_{12,3}^{6,9}, \epsilon_{13,3}^{6,10}, \epsilon_{14,2}^{7,8}, \epsilon_{12,4}^{7,9}, \epsilon_{14,4}^{7,11}, \epsilon_{13,5}^{8,10}, \epsilon_{14,5}^{8,11}, \epsilon_{15,3}^{9,10}, \epsilon_{15,4}^{9,11}, \epsilon_{15,5}^{10,11} \end{Bmatrix} \\ & -\overline{q}^{\frac{1}{2}} \begin{Bmatrix} \epsilon_{7,6}^{12,2}, \epsilon_{8,6}^{13,2}, \epsilon_{9,6}^{12,3}, \epsilon_{10,6}^{13,3}, \epsilon_{8,7}^{14,2}, \epsilon_{9,7}^{12,4}, \epsilon_{11,7}^{14,4}, \epsilon_{10,8}^{13,5}, \epsilon_{11,8}^{14,5}, \epsilon_{10,9}^{15,3}, \epsilon_{11,9}^{15,4}, \epsilon_{11,10}^{15,5} \end{Bmatrix} \end{aligned} \right\}, \\
& \Delta_q^{4\alpha+5} A_1^{\frac{1}{2}} A_2^{\frac{1}{2}} \left\{ \begin{aligned} & q^{\frac{3}{2}} \begin{Bmatrix} -1 \begin{Bmatrix} \epsilon_{13,4}^{11,6}, \epsilon_{14,3}^{10,7}, \epsilon_{15,2}^{8,9} \end{Bmatrix} \\ +1 \begin{Bmatrix} \epsilon_{11,6}^{13,4}, \epsilon_{14,3}^{14,3}, \epsilon_{15,2}^{15,2} \end{Bmatrix} \\ +\frac{3}{2} \begin{Bmatrix} \epsilon_{6,11}^{6,11}, \epsilon_{7,10}^{7,10}, \epsilon_{8,9}^{8,9} \end{Bmatrix} \\ +1 \begin{Bmatrix} \epsilon_{14,3}^{14,3}, \epsilon_{13,4}^{13,4}, \epsilon_{12,5}^{12,5} \end{Bmatrix} \\ -1 \begin{Bmatrix} \epsilon_{6,11}^{14,3}, \epsilon_{7,10}^{13,4}, \epsilon_{8,9}^{12,5} \end{Bmatrix} \end{Bmatrix}, q^{\frac{1}{2}} \begin{Bmatrix} +1 \begin{Bmatrix} \epsilon_{11,6}^{11,6}, \epsilon_{12,5}^{7,10}, \epsilon_{14,3}^{9,8} \end{Bmatrix} \\ -1 \begin{Bmatrix} \epsilon_{12,5}^{12,5}, \epsilon_{15,2}^{15,2}, \epsilon_{14,3}^{14,3} \end{Bmatrix} \\ -1 \begin{Bmatrix} \epsilon_{6,11}^{6,11}, \epsilon_{7,10}^{7,10}, \epsilon_{8,9}^{8,9} \end{Bmatrix} \\ -1 \begin{Bmatrix} \epsilon_{15,2}^{15,2}, \epsilon_{12,5}^{12,5}, \epsilon_{13,4}^{13,4} \end{Bmatrix} \\ +1 \begin{Bmatrix} \epsilon_{15,2}^{15,2}, \epsilon_{12,5}^{12,5}, \epsilon_{13,4}^{13,4} \end{Bmatrix} \end{Bmatrix} \right\}, \\
& \Delta_q^{2,4\alpha+4} A_1^{\frac{1}{2}} A_2^{\frac{1}{2}} \left\{ q^{\frac{1}{2}} \begin{Bmatrix} +1 \begin{Bmatrix} \epsilon_{14,3}^{8,9}, \epsilon_{13,4}^{10,7} \end{Bmatrix} \\ -1 \begin{Bmatrix} \epsilon_{14,3}^{14,3}, \epsilon_{13,4}^{13,4} \end{Bmatrix} \end{Bmatrix}, \overline{q}^{\frac{1}{2}} \begin{Bmatrix} -1 \begin{Bmatrix} \epsilon_{8,9}^{8,9}, \epsilon_{7,10}^{7,10} \end{Bmatrix} \\ +1 \begin{Bmatrix} \epsilon_{13,4}^{13,4}, \epsilon_{14,3}^{14,3} \end{Bmatrix} \end{Bmatrix} \right\}, \\
& \Delta_q^{4\alpha+\frac{11}{2}} (q^2 - \overline{q}^2) A_1^{\frac{1}{2}} A_2^{\frac{1}{2}} \left\{ q \begin{Bmatrix} +\epsilon_{15,2}^{11,6} \\ -\epsilon_{11,6}^{15,2} \end{Bmatrix}, - \begin{Bmatrix} +\epsilon_{15,2}^{10,7}, +\epsilon_{14,3}^{11,6} \\ -\epsilon_{10,7}^{15,2}, -\epsilon_{11,6}^{14,3} \end{Bmatrix}, \overline{q} \begin{Bmatrix} +\epsilon_{15,2}^{9,8} \\ -\epsilon_{9,8}^{15,2} \end{Bmatrix} \right\}, \\
& \Delta_q^{2,3\alpha+3} A_0^{\frac{1}{2}} A_1^{\frac{1}{2}} A_2^{\frac{1}{2}} \left\{ q \begin{Bmatrix} -1 \begin{Bmatrix} \epsilon_{9,2}^{9,2}, \epsilon_{10,2}^{10,2}, \epsilon_{11,2}^{11,2}, \epsilon_{11,3}^{11,3} \end{Bmatrix} \\ +1 \begin{Bmatrix} \epsilon_{12,1}^{12,1}, \epsilon_{13,1}^{13,1}, \epsilon_{14,1}^{14,1}, \epsilon_{15,1}^{15,1} \end{Bmatrix} \end{Bmatrix}, \begin{Bmatrix} +1 \begin{Bmatrix} \epsilon_{7,3}^{7,3}, \epsilon_{8,3}^{8,3}, \epsilon_{8,4}^{8,4}, \epsilon_{10,4}^{10,4} \end{Bmatrix} \\ -1 \begin{Bmatrix} \epsilon_{12,1}^{12,1}, \epsilon_{13,1}^{13,1}, \epsilon_{14,1}^{14,1}, \epsilon_{15,1}^{15,1} \end{Bmatrix} \end{Bmatrix}, \overline{q} \begin{Bmatrix} -1 \begin{Bmatrix} \epsilon_{6,4}^{6,4}, \epsilon_{6,5}^{6,5}, \epsilon_{7,5}^{7,5}, \epsilon_{9,5}^{9,5} \end{Bmatrix} \\ +1 \begin{Bmatrix} \epsilon_{12,1}^{12,1}, \epsilon_{13,1}^{13,1}, \epsilon_{14,1}^{14,1}, \epsilon_{15,1}^{15,1} \end{Bmatrix} \end{Bmatrix} \right\}, \\
& \Delta_q^{5\alpha+6} A_2 \left\{ -\overline{q} \begin{Bmatrix} \epsilon_{13,7}^{12,8}, \epsilon_{13,9}^{12,10}, \epsilon_{14,9}^{12,11}, \epsilon_{14,10}^{13,11} \\ \epsilon_{13,7}^{13,7}, \epsilon_{13,9}^{13,9}, \epsilon_{14,9}^{14,9}, \epsilon_{14,10}^{14,10} \end{Bmatrix}, \begin{Bmatrix} \epsilon_{14,6}^{12,8}, \epsilon_{15,6}^{12,10}, \epsilon_{15,7}^{12,11}, \epsilon_{15,8}^{13,11} \\ \epsilon_{14,6}^{14,6}, \epsilon_{15,6}^{15,6}, \epsilon_{15,7}^{15,7}, \epsilon_{15,8}^{15,8} \end{Bmatrix}, -q \begin{Bmatrix} \epsilon_{14,6}^{14,6}, \epsilon_{13,9}^{13,9}, \epsilon_{14,9}^{14,9}, \epsilon_{14,10}^{14,10} \\ \epsilon_{13,7}^{13,7}, \epsilon_{15,6}^{15,6}, \epsilon_{15,7}^{15,7}, \epsilon_{15,8}^{15,8} \end{Bmatrix} \right\}, \\
& \Delta_q^{2,4\alpha+6} A_1 A_2 \left\{ -\overline{q}^2 \begin{Bmatrix} \epsilon_{13,4}^{12,5} \\ \epsilon_{13,4}^{13,4} \\ \epsilon_{12,5}^{12,5} \end{Bmatrix}, +\overline{q} \begin{Bmatrix} \epsilon_{14,3}^{12,5} \\ \epsilon_{14,3}^{14,3} \end{Bmatrix}, - \begin{Bmatrix} \epsilon_{15,2}^{12,5}, \epsilon_{13,4}^{13,4} \\ \epsilon_{15,2}^{15,2}, \epsilon_{14,3}^{14,3} \end{Bmatrix}, +q \begin{Bmatrix} \epsilon_{13,4}^{15,2} \\ \epsilon_{13,4}^{14,3} \\ \epsilon_{15,2}^{15,2} \end{Bmatrix}, -q^2 \begin{Bmatrix} \epsilon_{15,2}^{15,2} \\ \epsilon_{14,3}^{14,3} \end{Bmatrix} \right\}, \\
& \Delta_q^{5\alpha+5} A_1^{\frac{1}{2}} A_3^{\frac{1}{2}} \left\{ \overline{q} \begin{Bmatrix} \epsilon_{16,2}^{16,2}, \epsilon_{16,3}^{16,3}, \epsilon_{16,4}^{16,4}, \epsilon_{16,5}^{16,5} \\ \epsilon_{6,14}^{16,14}, \epsilon_{6,15}^{16,15}, \epsilon_{7,15}^{16,15}, \epsilon_{8,15}^{16,15} \end{Bmatrix}, - \begin{Bmatrix} \epsilon_{16,2}^{7,13}, \epsilon_{16,3}^{9,13}, \epsilon_{16,4}^{9,14}, \epsilon_{16,5}^{10,14} \\ \epsilon_{16,2}^{16,2}, \epsilon_{16,3}^{16,3}, \epsilon_{16,4}^{16,4}, \epsilon_{16,5}^{16,5} \end{Bmatrix}, q \begin{Bmatrix} \epsilon_{8,12}^{8,12}, \epsilon_{10,12}^{10,12}, \epsilon_{11,12}^{11,12}, \epsilon_{11,13}^{11,13} \\ \epsilon_{16,2}^{16,2}, \epsilon_{16,3}^{16,3}, \epsilon_{16,4}^{16,4}, \epsilon_{16,5}^{16,5} \end{Bmatrix} \right\}, \\
& \Delta_q^{6\alpha+7} A_2^{\frac{1}{2}} A_3^{\frac{1}{2}} \left\{ \begin{aligned} & -q^{\frac{1}{2}} \begin{Bmatrix} \epsilon_{13,12}^{16,6}, \epsilon_{14,12}^{16,7}, \epsilon_{14,13}^{16,8}, \epsilon_{15,12}^{16,9}, \epsilon_{15,13}^{16,10}, \epsilon_{15,14}^{16,11} \end{Bmatrix} \\ & +q^{\frac{1}{2}} \begin{Bmatrix} \epsilon_{13,12}^{13,12}, \epsilon_{14,12}^{14,12}, \epsilon_{14,13}^{14,13}, \epsilon_{15,12}^{15,12}, \epsilon_{15,13}^{15,13}, \epsilon_{15,14}^{15,14} \end{Bmatrix} \\ & +\overline{q}^{\frac{1}{2}} \begin{Bmatrix} \epsilon_{12,13}^{16,6}, \epsilon_{12,14}^{16,7}, \epsilon_{13,14}^{16,8}, \epsilon_{12,15}^{16,9}, \epsilon_{13,15}^{16,10}, \epsilon_{14,15}^{16,11} \end{Bmatrix} \\ & -\overline{q}^{\frac{1}{2}} \begin{Bmatrix} \epsilon_{12,13}^{12,13}, \epsilon_{12,14}^{12,14}, \epsilon_{13,14}^{13,14}, \epsilon_{12,15}^{12,15}, \epsilon_{13,15}^{13,15}, \epsilon_{14,15}^{14,15} \end{Bmatrix} \end{aligned} \right\}, \\
& \Delta_q^{2,5\alpha+6} A_1^{\frac{1}{2}} A_2 A_3^{\frac{1}{2}} \left\{ \overline{q} \begin{Bmatrix} -1 \begin{Bmatrix} \epsilon_{12,8}^{16,2}, \epsilon_{12,10}^{16,3}, \epsilon_{12,11}^{16,4}, \epsilon_{13,11}^{16,5} \end{Bmatrix} \\ +1 \begin{Bmatrix} \epsilon_{12,8}^{12,8}, \epsilon_{12,10}^{12,10}, \epsilon_{12,11}^{12,11}, \epsilon_{13,11}^{13,11} \end{Bmatrix} \end{Bmatrix}, \begin{Bmatrix} +1 \begin{Bmatrix} \epsilon_{13,7}^{16,2}, \epsilon_{13,9}^{16,3}, \epsilon_{14,9}^{16,4}, \epsilon_{14,10}^{16,5} \end{Bmatrix} \\ -1 \begin{Bmatrix} \epsilon_{13,7}^{13,7}, \epsilon_{13,9}^{13,9}, \epsilon_{14,9}^{14,9}, \epsilon_{14,10}^{14,10} \end{Bmatrix} \end{Bmatrix}, q \begin{Bmatrix} -1 \begin{Bmatrix} \epsilon_{14,6}^{16,2}, \epsilon_{15,6}^{16,3}, \epsilon_{15,7}^{16,4}, \epsilon_{15,8}^{16,5} \end{Bmatrix} \\ +1 \begin{Bmatrix} \epsilon_{14,6}^{14,6}, \epsilon_{15,6}^{15,6}, \epsilon_{15,7}^{15,7}, \epsilon_{15,8}^{15,8} \end{Bmatrix} \end{Bmatrix} \right\}, \\
& \Delta_q^{2,4\alpha+5} A_0^{\frac{1}{2}} A_1^{\frac{1}{2}} A_2^{\frac{1}{2}} A_3^{\frac{1}{2}} \left\{ \overline{q}^2 \begin{Bmatrix} \epsilon_{6,11}^{16,1} \\ \epsilon_{6,11}^{6,11} \end{Bmatrix}, -\overline{q} \begin{Bmatrix} \epsilon_{7,10}^{16,1} \\ \epsilon_{7,10}^{7,10} \end{Bmatrix}, \begin{Bmatrix} \epsilon_{8,9}^{16,1}, \epsilon_{9,8}^{16,1} \\ \epsilon_{8,9}^{8,9}, \epsilon_{9,8}^{9,8} \end{Bmatrix}, -q \begin{Bmatrix} \epsilon_{10,7}^{16,1} \\ \epsilon_{10,7}^{10,7} \end{Bmatrix}, q^2 \begin{Bmatrix} \epsilon_{11,6}^{16,1} \\ \epsilon_{11,6}^{11,6} \end{Bmatrix} \right\}, \\
& \Delta_q^{4\alpha+3} A_0^{\frac{1}{2}} A_3^{\frac{1}{2}} \left\{ \overline{q}^{\frac{3}{2}} \begin{Bmatrix} +\epsilon_{2,15}^{16,1} \\ -\epsilon_{16,1}^{2,15} \end{Bmatrix}, \overline{q}^{\frac{1}{2}} \begin{Bmatrix} -\epsilon_{3,14}^{16,1} \\ +\epsilon_{16,1}^{3,14} \end{Bmatrix}, q^{\frac{1}{2}} \begin{Bmatrix} +\epsilon_{4,13}^{16,1} \\ -\epsilon_{16,1}^{4,13} \end{Bmatrix}, q^{\frac{3}{2}} \begin{Bmatrix} -\epsilon_{5,12}^{16,1} \\ +\epsilon_{16,1}^{5,12} \end{Bmatrix} \right\}, \\
& \Delta_q^{3,4\alpha+6} A_0^{\frac{1}{2}} A_1 A_2 A_3^{\frac{1}{2}} \left\{ \overline{q}^{\frac{3}{2}} \begin{Bmatrix} +\epsilon_{12,5}^{16,1} \\ -\epsilon_{16,1}^{12,5} \end{Bmatrix}, \overline{q}^{\frac{1}{2}} \begin{Bmatrix} -\epsilon_{13,4}^{16,1} \\ +\epsilon_{16,1}^{13,4} \end{Bmatrix}, q^{\frac{1}{2}} \begin{Bmatrix} +\epsilon_{14,3}^{16,1} \\ -\epsilon_{16,1}^{14,3} \end{Bmatrix}, q^{\frac{3}{2}} \begin{Bmatrix} -\epsilon_{15,2}^{16,1} \\ +\epsilon_{16,1}^{15,2} \end{Bmatrix} \right\}.
\end{aligned}$$

References

- [1] Anthony J Bracken, Mark D Gould, Yao-Zhong Zhang, and Gustav W Delius. Solutions of the quantum Yang–Baxter equation with extra non-additive parameters. *Journal of Physics A. Mathematical and General*, 27:6551–6561, 1994.
- [2] David De Wit. Explicit construction of the representation of the braid generator σ associated with the one-parameter family of minimal typical highest weight $(0,0|\alpha)$ representations of $U_q[gl(2|1)]$ and its use in the evaluation of the Links–Gould two-variable Laurent polynomial invariant of oriented $(1,1)$ tangles, 25 November 1998. PhD thesis, Department of Mathematics, The University of Queensland, Australia. [math/9909063](#).
- [3] David De Wit. Automatic construction of explicit R matrices for the one-parameter family of irreducible typical highest weight $(\vec{0}_m|\alpha)$ representations of $U_q[gl(m|1)]$. In preparation. Methods leading to results in the present paper, 2000.
- [4] David De Wit. Automatic evaluation of the Links–Gould invariant for all prime knots of up to 10 crossings. *Journal of Knot Theory and its Ramifications*, 9(3), May 2000. RIMS-1235, [math/9906059](#).
- [5] David De Wit. An infinite suite of Links–Gould invariants. Applications of the R matrices presented in [3] and the present work. Under consideration. [math/0004170](#), 27 April 2000.
- [6] David De Wit, Louis H Kauffman, and Jon R Links. On the Links–Gould invariant of links. *Journal of Knot Theory and its Ramifications*, 8(2):165–199, March 1999. [math/9811128](#).
- [7] Gustav W Delius, Mark D Gould, Jon R Links, and Yao-Zhong Zhang. Solutions of the Yang–Baxter equation with extra non-additive parameters II: $U_q(gl(m|n))$. *Journal of Physics A. Mathematical and General*, 28(21):6203–6210, 1995.
- [8] Xiang-Yu Ge, Mark D Gould, Yao-Zhong Zhang, and Huan-Qiang Zhou. A new two-parameter integrable model of strongly correlated electrons with quantum superalgebra symmetry. *Journal of Physics A. Mathematical and General*, 31(23):5233–5239, 1998.
- [9] Mark D Gould, Katrina E Hibberd, Jon R Links, and Yao-Zhong Zhang. Integrable electron model with correlated hopping and quantum supersymmetry. *Physics Letters A*, 212:156–160, 18 March 1996.
- [10] Mark D Gould, Jon R Links, and Yao-Zhong Zhang. Type-I quantum superalgebras, q -supertrace and two-variable link polynomials. *Journal of Mathematical Physics*, 37:987–1003, 1996.

- [11] Victor G Kac. Representations of classical Lie superalgebras. In A Dold and B Eckmann, editors, *Differential Geometrical Methods in Mathematical Physics II*, number 676 in Lecture Notes in Mathematics, pages 597–626. Springer-Verlag, 1978.
- [12] Jon R Links and Mark D Gould. Two variable link polynomials from quantum supergroups. *Letters in Mathematical Physics*, 26(3):187–198, November 1992.
- [13] Rui Bin Zhang. Finite dimensional irreducible representations of the quantum supergroup $U_q(gl(m|n))$. *Journal of Mathematical Physics*, 34(3):1236–1254, March 1993.